

TINGKAT PENGETAHUAN IBU MENYUSUI TENTANG FAKTOR PENYEBAB PUTING SUSU LECET DI PUSKESMAS NANGGULAN KULON PROGO

Nina Kurnia¹, Elvika Fit Ari Shanti².

INTISARI

Latar Belakang : Rendahnya cakupan Asi Eksklusif dapat disebabkan karena ibu belum memahami tehnik menyusui secara benar sehingga dapat menyebabkan terjadinya puting susu lecet, masalah puting susu lecet ini 95% terjadi pada wanita yang menyusui bayinya tidak sampai ke areola dan hanya menyusui pada puting susu saja. Kesalahan lain dapat disebabkan pada saat ibu menghentikan proses menyusui kurang hati-hati.

Tujuan : Diketuainya tingkat pengetahuan ibu menyusui tentang faktor penyebab puting susu lecet di Puskesmas Nanggulan Kulon Progo.

Metode Penelitian : Penelitian ini menggunakan penelitian deskriptif kuantitatif dengan rancangan *Aksidental*. Penelitian ini dilakukan pada tanggal 22 mei – 3 maret 2017, dengan metode total sampling dengan responden 25 orang. Data yang digunakan adalah data primer dengan variabel tunggal yaitu tingkat pengetahuan ibu menyusui tentang puting susu lecet.

Hasil Penelitian : Hasil penelitian ini menunjukkan bahwa dari 25 responden yang berpengetahuan cukup yang berusia 20-30 tahun sebanyak 12 responden (48.0%) Pendidikan SMP 12 responden (48.0%) Ibu rumah tangga 12 responden (48.0%).

Kesimpulan : Mayoritas ibu berpengetahuan cukup pada usia 20-30 tahun, pendidikan SMP, Ibu Rumah Tangga.

Kata Kunci : Pengetahuan, Puting susu lecet

¹Mahasiswa Program Studi Kebidanan (D-3) Stikes Jendral Achmad Yani Yogyakarta

²Dosen Program Studi Kebidanan (D-3) Stikes Jendral Achmad Yani Yogyakarta

KNOWLEDGE RISK FAKTOR OF NIPPLE BLISTERS AT NANGGULAN KULON PROGO COMMUNITY HEALTH CENTER

Nina Kurnia¹, Elvika Fit Ari Shanti²

ABSTRAC

Background : The low exclusive breastfeeding coverage may be due to the fact that the mother has not yet understood proper breastfeeding techniques that can cause blisters, this 95% nipple problem occurs in women who breastfeeding their babies not to the areola and only feed on the nipple only. Other mistakes can be caused when the mother stops the breastfeeding process less carefully.

Objective : To know the level of knowledge of breastfeeding mother about cause faktor of nipple blisters at nanggulan kulon progo community health center. uses quantitative descriptive research.

Reaserch Method : This researsch uses quantitative descriptive research with acidental command. This was conducted on 22 may- 3 march 2017, with total sampling methode with 25 respondents. The data used are primary data with single variabel that is knowledge level of breastfeeding mother about nipple blisters

Results : The reasults of this study show that from 25 respondent who are knowledgeable enough aged 20-30 years as many as 12 respondents (84.0%). Junior secondary education 12 respondents (48.0%) housewives 12 respondents (48%)

Keywords : Knowledge, Nipple blisters

¹Student Of Midwifery Program School Of Health Jenderal Achmad Yani Yogyakarta

²Lectur Of Midwifery Program School Of Health Jenderal Achmad Yani Yogyakarta