

HUBUNGAN PSYCHOLOGICAL DISTRESS DENGAN KUALITAS HIDUP ANAK PASIEN KANKER PAYUDARA DI RSUD KOTA YOGYAKARTA

Ayu Palupy Ningtyas¹, Dewi Utari²
Email: Ayupalupy.ap@gmail.com

INTISARI

Latar belakang: Kanker payudara merupakan penyakit keganasan yang disebabkan oleh terjadinya pembelahan sel-sel pada tubuh secara tidak teratur dan tidak dapat dikendalikan. Dampak kanker payudara tidak hanya dirasakan pasien tetapi juga dirasakan keluarga terutama anak-anak mereka. Anak-anak dari pasien kanker mengalami gangguan fisik, kecemasan dan bahkan depresi. Sehingga, hal ini dapat menurunkan kualitas hidup pada anak.

Tujuan: Mengetahui hubungan antara *psychological distress* dengan kualitas hidup anak pasien kanker payudara.

Metode: Penelitian ini merupakan penelitian kuantitatif non eksperimental dengan menggunakan rancangan penelitian *cross sectional*. Teknik sampling yang digunakan adalah *purposive sampling* dengan jumlah sampel sebanyak 33 responden. Kuesioner yang digunakan adalah CES-DC dan KIDSCREEN_27. Analisa bivariate menggunakan Pearson correlation dengan tingkat kemaknaan $p<0,05$.

Hasil: Nilai rata-rata *psychological distress* pada penelitian ini adalah $21,5 \pm 6,92$ dan nilai kualitas hidup pada penelitian ini adalah $70,73 \pm 10,52$. Sedangkan hasil uji *pearson* diperoleh tingkat signifikansi p value 0,000 (p value $< 0,05$) dan nilai *correlation coefficient* 0,672.

Kesimpulan: Terdapat hubungan yang kuat antara *psychological distress* dengan kualitas hidup anak pasien penderita kanker payudara di RSUD Kota Yogyakarta. Semakin tinggi *psychological distress* maka akan semakin rendah kualitas.

Kata Kunci: *Psychological Distress, Kualitas Hidup, Anak Pasien Kanker Payudara*

¹ Mahasiswa Program Studi Ilmu Keperawatan Universitas Jenderal Achmad Yani Yogyakarta

² Dosen Program Studi Ilmu Keperawatan Universitas Jenderal Achmad Yani Yogyakarta

THE CORRELATION BETWEEN PSYCHOLOGICAL DISTRESS AND QUALITY OF LIFE AMONG CHILDREN WITH BREAST CANCER PARENT IN GENERAL HOSPITAL OF KOTA YOGYAKARTA

Ayu Palupy Ningtyas¹, Dewi Utari²
Email: Ayupalupy.ap@gmail.com

ABSTRACT

Background: Breast cancer is a malignant disease that caused by irregular and uncontrolled division of cells in the body. The impact of breast cancer is suffered by not only the patients but also by their families, especially their children. Children of cancer patients experienced physical disruption, anxiety, and depression. Therefore, this condition will lessening their quality of life.

Objective: To determined the correlation between psychological distress and quality of life among children of breast cancer patients.

Method: This was a non-experimental quantitative study using a cross sectional study design. The sampling technique was used purposive sampling with a number of sample 33 respondents. Instrument of CES-DC and KIDSCREEN_27 was used to gain the data. Bivariate analysis was using Pearson correlation with significance level of p-value <0,05.

Results: The result showed the mean of psychological distress in this study was $21.5 \pm 6,92$ and the value of quality of life was $70.73 \pm 10,52$. The Pearson test results obtained significance level of p value 0,000 (p value <0,05) and correlation coefficient value of 0.672.

Conclusion: There is a strong relationship between psychological distress and quality of life among children with breast cancer parent. The higher psychological distress, the lower quality of life.

Keywords: *Psychological Distress, Quality of Life, Child Breast Cancer Patients*

¹ The Student of Nursing Study Program of Jenderal Achmad Yani University of Yogyakarta

² The Lecturer of Nursing Study Program of Jenderal Achmad Yani University of Yogyakarta