

**GAMBARAN TINGKAT PENGETAHUAN TENTANG KEPUTIHAN
PADA REMAJA PUTRI KELAS X SMA NEGERI 1 GODEAN
KABUPATEN SLEMAN YOGYAKARTA
TAHUN 2017**

Novi Nur Anggarini¹, Liberty Barokah²

INTISARI

Latar Belakang : WHO menyebutkan bahwa jumlah penduduk wanita pada tahun 2013 sebanyak 6,7 milyar jiwa dan yang pernah mengalami keputihan sekitar 75%, untuk wanita Indonesia pada tahun 2013 sebanyak 237.641.326 jiwa dan yang mengalami keputihan berjumlah 75% (Kemenkes RI, 2014). Kurangnya pengetahuan remaja putri dan informasi yang tepat tentang kesehatan organ reproduksi dapat menimbulkan kurangnya perhatian terhadap kesehatan organ reproduksi dalam hal ini mengenai keputihan (Anindya, 2013). Dampak dari keputihan yang terlambat atau tidak diobati dapat berakibat buruk bagi kehidupan seorang wanita, seperti terjadinya kemandulan, endometritis, dan radang panggul (Shadine, 2012).

Tujuan : Untuk mengetahui gambaran tingkat pengetahuan remaja putri kelas X tentang keputihan Di SMA N 1 Godean Kabupaten Sleman Tahun 2017

Metode Penelitian : Metode penelitian menggunakan *deskriptif kuantitatif*. Populasi dari penelitian ini adalah keseluruhan siswi kelas X SMA N 1 Godean Kabupaten Sleman, yang berjumlah 135 siswi. Metode pengambilan sampel adalah *total sampling*. Analisis univariat.

Hasil : Tingkat pengetahuan siswi dengan tingkat pengetahuan tentang keputihan kategori cukup (45,2%), pengertian keputihan kategori cukup (44,4%), penyebab keputihan kategori cukup (37,0%), tanda dan gejala keputihan kategori cukup (43,7%), pencegahan keputihan kategori baik (41,5%)

Kesimpulan: Tingkat pengetahuan remaja putri kelas X SMA N 1 Godean tentang keputihan dalam kategori cukup (45,2%).

Saran : Hasil penelitian ini dapat dijadikan masukan dan referensi dalam melakukan penelitian lebih lanjut tentang keputihan dengan variabel yang berbeda.

Kata kunci : Pengetahuan, Keputihan

¹ Mahasiswa Kebidanan (D-3) Stikes Jenderal Achmad Yani Yogyakarta

² Dosen Kebidanan (D-3) Stikes Jenderal Achmad Yani Yogyakarta

**THE DESCRIPTION OF LEVEL OF KNOWLEDGE ABOUT LEUKHOREA
IN FEMALE ADOLESENT IN X CLASS IN STATE HIGH SCHOOL 1
GODEAN DISTRICT SLEMAN YOGYAKARTA
YEAR 2017**

Novi Nur Anggarini¹, Liberty Barokah²

ABSTRACT

Background: WHO states that the number of female population in 2013 is 6.7 billion people and that has experienced whiteness around 75%, for Indonesian women in the year 2013 as many as 237.641.326 people and whiteness amounted to 75% (Ministry of Health RI, 2014). Lack of knowledge of young women and appropriate information about the health of reproductive organs can lead to a lack of attention to the health of reproductive organs in this case of whiteness (Anindya, 2013). The effects of late or untreated vaginal discharge can result in a blind to a woman's life, such as the occurrence of infertility, endometritis, and pelvic inflammation (Shadine, 2012).

Objective: To know the description of the level of knowledge of girls in the class X of whiteness In SMA N 1 Godean Sleman District Year 2017

Research Methods: Research method use quantitative descriptive. Population of this research is all student of X class in SMA N 1 Godean Sleman. The total was 135 female students. The sample method is total sampling. Univariat analysis.

Result: The level of knowledge in female adolescent with level of knowledge about whiteness category enough (45,2%), understanding of whiteness category enough (44,4%), cause of sufficient category whiteness (37,0%), sign And whitish symptoms of sufficient category (43.7%), good category whitish prevention (41.5%)

Conclusion: Level of knowledge of juvenile high school girls SMA N 1 Godean about Whiteness in the category enough (45.2%).

Suggestion : The results of this study can be used as input and reference in doing further research on whiteness with different variables.

Keywords: Knowledge, Leukhorea

¹ *Student of (D-3) Midwifery Study Program of Stikes Jenderal Achmad Yani Yogyakarta*

² *Lecture (D-3) Midwifery Study Program of Stikes Jenderal Achmad Yani Yogyakarta*