

## DAFTAR PUSTAKA

- Anita, F., Linggi, E. B., Anita, F., Studi, P., Keperawatan, I., Stella, S., & Makassar, M. (2020). *Gambaran Gangguan Fungsi Kognitif Pasien Paska Stroke Di Rumah Sakit Stella Maris Makassar*. 3(1), 7–11. <https://doi.org/10.52774/jkfn.v3i1.50>
- Alagiakrishnan, & Masaki, K. (2018). Vascular dementia. *Medscape*. Retrieved from <https://emedicine.medscape.com/article/292105-overview>
- Anthony M, Bassey W, Ademola M, D. P. (2010). Stroke prevention : awareness of risk factors for stroke among african american residents in the missisipi delta region. *Journal of the National Medical Assosiation*, 102(2).
- Ardi, M. (2011). *Analisis hubungan ketidakmampuan fisik dan kognitif dengan keputusan pada pasien stroke di Makassar*.
- Bariroh, U; Setyawan, H; Sakundarno, M. (2016). Kualitas hidup berdasarkan pasien post stroke. *Jurnal Kesehatan Masyarakat*, 4(4). <http://ejournal-s1.undip.ac.id/index.php/jkm>
- Batticaca, F. B. (2008). *Asuhan Keperawatan pada Kliien dengan Gangguan Sistem Persarafan*. Jakarta: Salemba Medika.
- Black, J. M. & H. (2014). Keperawatan medikal bedah black .Vol 3.pdf. In 3.
- Budianto, P., Prabaningtyas, H., Putra, S. E., Mirawati, diah K., Muhammad, F., & Hafizan, M. (2021). *Stroke iskemik akut : dasar dan klinis*. January, 68–69.
- Carota, A., & Bogousslavsky, J. (2017). Minor Hemisphere Major Syndromes. *Frontiers of Neurology and Neuroscience*, 41, 1–13. <https://doi.org/10.1159/000475690>
- Chung, M. L., Moseer, D. K., Lennie, T. K., & Rayens, M. K. (2009). The effects of depressive symptoms and anxiety on quality of life in patients with heart failure and their spouses: Testing dyadic dynamics using Actor-Partner Interdependence Model. *J Psychosom*, 67(1), 1–15. <https://doi.org/10.1016/j.jpsychores.2009.01.009>.
- Darlina, D. (2012). Discharge planning dalam keperawatan Discharge Planning in Nursing ; A Literature Review. *Idea Nursing Journal*, III No. 2, 32–41.
- Davis, L. E., & Richardson, S. P. (2015). *Fundamentals of Neurologic Disease* (2nd

ed.). Springer.

- Devi, K. B. A. (2017). *Anatomi Fisiologi & Biokimia Keperawatan*. Pustaka Baru Press.
- Djamaludin, D., & Oktaviana, I. D. (2020). Hubungan Tingkat Ketergantungan Dalam Pemenuhan Aktivitas Kehidupan Sehari-Hari Terhadap Kualitas Hidup Pasien Pasca Stroke di Wilayah Kerja Puskesmas Metro Pusat. *Manuju: Malahayati Nursing Journal*, 2(2), 268–278.
- Evelyn C. Pearce. (2013). *Anatomi & fisiologi untuk paramedis*. CV Prima Grafika.
- Feigin, V. L., Krishnamurthi, R. V., Parmar, P., Norrving, B., Mensah, G. A., Bennett, D. A., Barker-Collo, S., Moran, A. E., Sacco, R. L., Truelsen, T., Davis, S., Pandian, J. D., Naghavi, M., Forouzanfar, M. H., Nguyen, G., Johnson, C. O., Vos, T., Meretoja, A., Murray, C. J. L., & Roth, G. A. (2015). Update on the global burden of ischemic and hemorrhagic stroke in 1990–2013: The GBD 2013 study. *Neuroepidemiology*, 45(3), 161–176. <https://doi.org/10.1159/000441085>
- Gallagher, M., Wilkinson, D., & Sakel, M. (2013). Hemispatial neglect: clinical features, assessment and treatment. *British Journal of Neuroscience Nursing*, 9(6), 273–277. <https://doi.org/10.12968/bjnn.2013.9.6.273>
- Gammeri, R., Iacono, C., Ricci, R., & Salatino, A. (2020). Unilateral spatial neglect after stroke: Current insights. *Neuropsychiatric Disease and Treatment*, 16, 131–152. <https://doi.org/10.2147/NDT.S171461>
- Goldstein, L. B., Bushnell, C. D., Adams, R. J., Appel, L. J., Braun, L. T., Chaturvedi, S., Creager, M. A., Culebras, A., Eckel, R. H., Hart, R. G., Hinchey, J. A., Howard, V. J., Jauch, E. C., Levine, S. R., Meschia, J. F., Moore, W. S., Nixon, J. V., & Pearson, T. A. (2011). Guidelines for the primary prevention of stroke: A Guideline for Healthcare Professionals from the American Heart Association/American Stroke Association. *Stroke*, 42(2), 517–584. <https://doi.org/10.1161/STR.0b013e3181fcb238>
- Haaland, K. Y., Mutha, P. K., Rinehart, J. K., Daniels, M., Cushnyr, B., & Adair, J. C. (2012). Relationship between arm usage and instrumental activities of daily living after unilateral stroke. *Archives of Physical Medicine and Rehabilitation*, 93(11), 1957–1962. <https://doi.org/10.1016/j.apmr.2012.05.011>
- Hackett, M. L., & Pickles, K. (2014). Part I: Frequency of depression after stroke: An updated systematic review and meta-analysis of observational studies. *International Journal of Stroke*, 9(8), 1017–1025. <https://doi.org/10.1111/ijvs.12357>

- Haghgoo, H. A., Pazuki, E. S., Hosseini, A. S., & Rassafiani, M. (2013). Depression, activities of daily living and quality of life in patients with stroke. *Journal of the Neurological Sciences*, 328(1–2), 87–91. <https://doi.org/10.1016/j.jns.2013.02.027>
- Handayani, F. (2012). *Angka Kejadian Serangan Stroke Pada Wanita Lebih Rendah Daripada Laki-Laki*.
- Hasbullah, M. A., & D.S, H. (2017). Jurnal Media Keperawatan : Politeknik Kesehatan Makassar Jurnal Media Keperawatan : Politeknik Kesehatan Makassar. *Gambaran Penerapan Asuhan Keperawatan Pada Pasien Thypoid Dalam Pemenuhan Kebutuhan Nutrisi Di Rumah Sakit Tk Ii Pelamonia*, 08(02), 39–45.
- Hayhow, B. D., Brockman, S., & Starkstein, S. E. (2014). Post-stroke depression. *The Behavioral Consequences of Stroke*, 9781461476, 227–240. [https://doi.org/10.1007/978-1-4614-7672-6\\_12](https://doi.org/10.1007/978-1-4614-7672-6_12)
- Hedna, V. S., Bodhit, A. N., Ansari, S., Falchook, A. D., Stead, L., Heilman, K. M., & Waters, M. F. (2013). Hemispheric differences in ischemic stroke: Is left-hemisphere stroke more common? *Journal of Clinical Neurology (Korea)*, 9(2), 97–102. <https://doi.org/10.3988/jcn.2013.9.2.97>
- Hreha, K., Mulry, C., Gross, M., Jedziniak, T., Gramas, N., Ohevshalom, L., Sheridan, A., Szabo, G., Davison, C., & Barrett, A. M. (2017). Assessing chronic stroke survivors with aphasia sheds light on prevalence of spatial neglect. *Topics in Stroke Rehabilitation*, 24(2), 91–98. <https://doi.org/10.1080/10749357.2016.1196906>
- Hughes, E. J. (2018). State of the Nation III. *International Affairs*, 56(1), 198–199. <https://doi.org/10.2307/2615809>
- Husmiati, H. (2016). Demensia Pada Lanjut Usia Dan Intervensi Sosial. *Sosio Informa*, 2(3), 229–238. <https://doi.org/10.33007/inf.v2i3.839>
- Iskandar, J. (2011). *Stroke, Waspadai Ancamannya*. ANDI.
- Istichomah. (2020). *Modul Praktikum Keperawatan Dasar I*. Bandung: Media Sains Indonesia.
- Kabi, G., Tumewah, R., Kembuan, M. (2013). Gambaran faktor resiko pada penderita stroke iskemik yang dirawat inap Neurologi RSUP Prof. Dr. R. D. Kandou Manado periode Juli 2012-Juni 2013. *Jurnal E-Clinic*, 2(1).
- Kartini, A., Arif, M., & Hardjoeno, H. (2016). Kadar fibrin monomer dan ukuran infark di strok iskemik akut. *Indonesian journal of clinical pathology and*

*medical laboratory*. <https://doi.org/10.24293/ijcpml.v20i3.470>

- Kemenkes. (2013). *pedoman pengendalian stroke*. Jakarta: KemenKes RI.
- Kemenkes. (2019). *keputusan menteri kesehatan Republik Indonesia tentang pedoman nasional pelayanan kedokteran tata laksana stroke*. 126(1), 1–7.
- Kemenkes. (2019). Infodantin Stroke Kemenkes Ri 2019. In *Infodantin Stroke Kemenkes RI 2019*.
- Kim, G., Min, D., Lee, E. ok, & Kang, E. K. (2016). Impact of co-occurring dysarthria and aphasia on functional recovery in post-stroke patients. *Annals of Rehabilitation Medicine*. <https://doi.org/10.5535/arm.2016.40.6.1010>
- Krisnawati, W. L., & K. (2012). Home care holistic. *Home Care Holistic Terhadap Perubahan Kecemasan Depresi Pada Pasien Strokw Iskemik, Vol. 7 No.(2)*, 108.
- Kumar, S., Singh, M., Pandey, A., Raghav, S., & Pratap, G. (2013). *The Effects of Side of Brain Lesion on Balance and Activities of Daily Living in Stroke Patients*. 6(4), 43–49.
- Kwah, L, K; Diong, J. (2014). National Institutes of Health Stroke Scale (NIHSS). *Elsevier*.
- Latifah, L. N., Firmawati, E., & Chayati, N. (2018). Implementasi Perawat dalam Pemenuhan Kebutuhan Aktivitas Sehari-hari Pasien Stroke di RS PKU Muhammadiyah Yogyakarta dan RS PKU Muhammadiyah Gamping. *Jurnal Penelitian Dan Pengembangan Pelayanan Kesehatan*, 2(2), 114–120. <https://doi.org/10.22435/jpppk.v2i2.493>
- Lina, R., Kristianto, J., & Yunita, Y. (2019). Faktor Yang Mempengaruhi Kejadian Stroke di Rumah Sakit Umum Daerah Provinsi Kepulauan Riau. *Quality : Jurnal Kesehatan*, 13(2), 91–95. <https://doi.org/10.36082/qjk.v13i2.84>
- Mani, S., Przybyla, A., Good, D. C., Haaland, K. Y., & Sainburg, R. L. (2014). Contralesional arm preference depends on hemisphere of damage and target location in unilateral stroke patients. *Neurorehabilitation and Neural Repair*. <https://doi.org/10.1177/1545968314520720>
- Marlia, I. (2019). *Diagnosis dan Tatalaksana Demensia Vascular Diagnosis and Management of Vascular Dementia PENDAHULUAN Demensia merupakan penyakit yang paling sering terjadi pada usia tua . Menurut WHO , demensia adalah sindrom neurodegeneratif yang timbul karena adanya k. 1(3)*.
- Mesiano, T. (2017). Stroke Indonesia. *Stroke Indonesia*, 2, 1–30.

[http://p2ptm.kemkes.go.id/uploads/VHrbkVobjRzUDN3UCs4eUJ0dVBndz09/2017/10/Apa\\_itu\\_Strok\\_dr\\_Taufik\\_Mesiano\\_Media\\_Briefing\\_Hari\\_Stroke\\_Sedunia\\_26\\_Oktober\\_2017.pdf](http://p2ptm.kemkes.go.id/uploads/VHrbkVobjRzUDN3UCs4eUJ0dVBndz09/2017/10/Apa_itu_Strok_dr_Taufik_Mesiano_Media_Briefing_Hari_Stroke_Sedunia_26_Oktober_2017.pdf)

Nasution, I. K., Lubis, N. D. A., Erwin, I., & Nusa, M. I. (2018). Cognitive Function Differences based on Hemispheric Lesions of First-Ever Ischemic Stroke Patients. *International Journal Of Medical Science And Clinical Invention*, 5(3), 3616–3618. <https://doi.org/10.18535/ijmsci/v5i3.11>

Nugroho, H. W. (2012). *Keperawatan gerontik & geriatrik*. Jakarta: EGC.

Nursalam. (2020). Penulisan literature review dan systematic review pada pendidikan kesehatan

Pezeshki & Rostami, Z. (2009). Contributing factors in health related quality of life assessment of ESRD patient : a single study center study. *Int J Nephrol Urol*, 1(2).

Prayoga, M., Fibriani, A. R., & Lestari, N. (2017). Perbedaan Tingkat Defisit Neurologis Pada Stroke Iskemik Lesi Hemisfer Kiri Dan Kanan. *Biomedika*, 8(2). <https://doi.org/10.23917/biomedika.v8i2.2916>

Pribadhi H, P. I. A. (2019). *Perbedaan kejadian depresi pasca-stroke pada pasien stroke iskemik lesi hemisfer kiri dan kanan di RSUP SANGLAH tahun 2017*. 8(3).

Price, S. A., & Wilson, L. M. (2005). Patofisiologi Konsep Klinis Proses-Proses Penyakit. In *Patofisiologi*. <https://doi.org/10.4049/jimmunol.172.4.2595>

Purwanto, H. (2016). *Keperawatan Medikal Bedah II*. Kemenkes RI. <https://www.google.com/search?q=buku+ajar+keperawatan+medikal+bedah+sistem+persarafan&oq=buku+&aqs=chrome.1.69i59l2j69i57j0i13l1i433j0j69i61j69i60l2.7436j0j7&sourceid=chrome&ie=UTF-8>

1Pusdatin Kemenkes RI. (2014). Pusdatin STROKE. *Pusat Data Dan Informasi Kementrian Kesehatan*.

Raimundus, C. (2016). *Anatomi Fisiologi Manusia*. Kemenkes RI.

Riskesdas, K. (2018). Hasil Utama Riset Kesehata Dasar (RISKESDAS). *Journal of Physics A: Mathematical and Theoretical*, 44(8), 1–200. <https://doi.org/10.1088/1751-8113/44/8/085201>

Robinson, R. G., & Spalletta, G. (2010). Poststroke depression: A review. *Canadian Journal of Psychiatry*, 55(6), 341–349. <https://doi.org/10.1177/070674371005500602>

- Rokhayah, S., & Budi, H. (2016). *Perbedaan Stroke Lesi Hemisfer Kiri dan Stroke Lesi Hemisfer Kanan Terhadap Terjadinya Demansia di RSUD Banyumas. XIII(2)*, 33–40.
- Rokhayah, S., Budi, M. H., Studi, P., Dokter, P., Kedokteran, F., & Purwokerto, U. M. (2016). *Perbedaan Stroke Lesi Hemisfer Kiri Dan Stroke. XIII(2)*, 33–40.
- Rosmarie, B. K. (2010). Quality of life after stroke. *Am Hear Assoc.*
- Santoso, B. ., Aulia, H. H. ., & Mulyani, Y. (2017). *Advances in Health Science Research, volume 6. 6(Smichs)*, 586–594.
- Saudin, D., Rajin, M., Kesehatan, F. I., Pesantren, U., Darul, T., Jombang, U., Kesehatan, F. I., Pesantren, U., Darul, T., & Jombang, U. (2017). Metode pengkajian neurologis menggunakan national institutes of health stroke scale pada pasien stroke di rsud dr iskak tulungagung. *Jurnal EDUNursing, 1(1)*, 1–6.
- Schaefer, S. Y., Mutha, P. K., Haaland, K. Y., & Sainburg, R. L. (2012). Hemispheric specialization for movement control produces dissociable differences in online corrections after stroke. *Cerebral Cortex, 22(6)*, 1407–1419. <https://doi.org/10.1093/cercor/bhr237>
- Sherwood, L. (2014). Fisiologi Manusia : Dari Sel ke Sistem (Introduction to Human Physiology). In *Penerbit Buku Kedokteran EGC*.
- Sinanović, O. (2010). Neuropsychology of acute stroke. *Psychiatria Danubina, 22(2)*, 278–281.
- Singh, A., Sahni, R. K., & Singh, H. (2018). *Comparison Of Activity Limitation And Participation Restriction Status Of Individuals With Right And Left Cerebral Hemisphere Stroke. 2(12)*, 37–42.
- Suchan, J., Rorden, C., & Karnath, H. O. (2012). Neglect severity after left and right brain damage. *Neuropsychologia, 50(6)*, 1136–1141. <https://doi.org/10.1016/j.neuropsychologia.2011.12.018>
- Sun, N., Li, Q. J., Lv, D. M., Man, J., Liu, X. S., & Sun, M. L. (2014). A Survey on 465 Patients With Post-Stroke Depression in China. *Archives of Psychiatric Nursing, 28(6)*, 368–371. <https://doi.org/10.1016/j.apnu.2014.08.007>
- Susilawati, A., Ratep, N., Putera, K., Neurologi, P., Psikiatri, S. M. F., & Neurologi, S. M. F. (2014). Depresi Pasca- Stroke : Diagnosis dan Tatalaksana. *Continuing Medical Education, 41(12)*, 901–905.
- Susilawati, F., & Nurhayati, S. (2018). Faktor Resiko Kejadian Stroke. *Jurnal*

*Ilmiah Keperawatan Sai Betik*, 14(1), 41.  
<https://doi.org/10.26630/jkep.v14i1.1006>

Syaifuddin. (2011). *Anatomi fisiologi: kurikulum berbasis kompetensi untuk keperawatan dan kebidanan* (4th ed.). EGC.

Takahashi, N., & Kawamura, M. (2015). Cognitive impairment after stroke. *Nippon Rinsho. Japanese Journal of Clinical Medicine*, 64 Suppl 7(October), 454–457. <https://doi.org/10.1097/00132980-200201030-00003>

Teasell, Robert & Hussein, N. (2018). Clinical Consequences of Stroke. *Evidence-Based Review of Stroke Rehabilitation*, 1, 29.

Teasell, R., Hussein, N., Saikaley, M., Iruthayarajah, J., & Longval, M. (2020). *Stroke Rehabilitation Clinician Handbook 2016 5. Rehabilitation of Cognitive Impairment Post Stroke Stroke Rehabilitation Clinician Handbook 2016*. Ci, 1–100.

Ten Brink, A. F., Verwer, J. H., Biesbroek, J. M., Visser-Meily, J. M. A., & Nijboer, T. C. W. (2017). Differences between left- and right-sided neglect revisited: A large cohort study across multiple domains. *Journal of Clinical and Experimental Neuropsychology*, 39(7), 707–723. <https://doi.org/10.1080/13803395.2016.1262333>

Ünal, A., Altuğ, F., Kavlak, E., & Cavlak, U. (2015). *International Journal of Therapeutic Applications*. comparison of balance in hemiparetic patients with right and left hemispheric lesion. *ISSN 2320-138X*. 27(September), 1–7.

Whitiana, G. D., Vitriana, & Cahyani, A. (2017). Level of Activity Daily Living in Post Stroke Patients. *Althea Medical Journal*, 4(2), 261–266. <https://doi.org/10.15850/amj.v4n2.1068>

Widyaswara Suwaryo, P. A., Widodo, W. T., & Setianingsih, E. (2019). Faktor Risiko yang Mempengaruhi Kejadian Stroke. *Jurnal Keperawatan*, 11(4), 251–260. <https://doi.org/10.32583/keperawatan.v11i4.530>

World Health Organization. (2016). Stroke: a global response is needed. *Bulletin of the World Health Organization*. doi:<http://dx.doi.org/10.2471/BLT.16.181636>

World Stroke Organization. (2019). *Global Stroke Fact Sheet*.

Yueniwati, Y. (2015). Deteksi Dini Stroke Iskemia:dengan Pemeriksaan Ultrasonografi vaskular dan variasi genetika. In *brawijaya university press*.

Yuwanda, K., Putri Laksmidewi, A. A. A., & Widyastuti, K. (2020). Korelasi

Antara Lokasi Stroke Dengan Gangguan Kognitif Pada Penderita Stroke Di Rsup Sanglah Denpasar. *Callosum Neurology*, 3(1), 1–5. <https://doi.org/10.29342/cnj.v3i1.101>

Zhang, Y., Zhao, H., Fang, Y., Wang, S., & Zhou, H. (2017). The association between lesion location, sex and poststroke depression: Meta-analysis. *Brain and Behavior*, 7(10), 1–11. <https://doi.org/10.1002/brb3.788>