

## DAFTAR PUSTAKA

- Alsiddig Yousef, B., Abdulmoniem Merghani, A., Salah Abdulla, W., & Rifaat Binni, R. (2019). Assessment of magnesium sulphate usage in pre-eclamptic and eclamptic women in Omdurman Maternity Hospital, 2017: A cross-sectional study [version 1; peer review: 1 approved, 1 not approved]. *F1000Research*, 8. <https://doi.org/10.12688/F1000RESEARCH.17648.1>
- American College of Obstetricians and Gynecologists. (2019). ACOG Practice Bulletin No. 202: Gestational Hypertension and Preeclampsia. In *Obstetrics and gynecology* (Vol. 133, Issue 1). <https://doi.org/10.1097/AOG.0000000000003018>
- Antonette. (2020). *Preeclampsia and eclampsia. Topics in Emergency Medicine*. 7(2), 43–4. [https://doi.org/https://doi.org/10.1007/0-387-21572-7\\_19](https://doi.org/https://doi.org/10.1007/0-387-21572-7_19).
- Bartsch, E., Medcalf, K.E., Park, A.L. (2016). Clinical risk factors for pre-eclampsia determined in early pregnancy: systemic review and meta-analysis of large cohort studies. *BMJ*, Vol 353: i.
- Brown, M. A., Magee, L. A., Kenny, L. C., Karumanchi, S. A., McCarthy, F. P., Saito, S., Hall, D. R., Warren, C. E., Adoyi, G., Ishaku, S., & I., & Society for the Study of Hypertension in Pregnancy (ISSHP). (2018). *Hypertensive Disorders of Pregnancy: ISSHP Classification, Diagnosis, and Management Recommendations for International Practice Hypertension*.
- Casanova, R., Chuang, A., Goepfert, A. R., Hueppchen, N. A., Weiss, P. M., Beckmann, C. R. B., Ling, F. W., Herbert, W. N. P., Laube, D. W., Smith, R. R. (2018). *Cardiovasculars and Respiratory Disorders" in Beckmann and Ling's Obstetrics and Gynecology, 8th edn*. Wolters Kluwer.
- Damai, Y. (2017). *Konsep Dasar Asuhan Kehamilan*. PT.Refika Aditama.
- Damayanti. (2014). Perbedaan Tekanan Darah Sebelum Dan Sesudah Dilakukan Hidroterapi Rendam Hangat Pada Penderita Hipertensi Di Desa Kebondalem Kecamatan Jambu Kabupaten Semarang. *Semarang: Jurnal STIKES Ngudi Waluyo Ungaran*, 5(10).
- Departemen Kesehatan Republik Indonesia. (2014). *Pedoman Penerapan Formularium Nasional, Direktur Jenderal Bina Kefarmasian dan Alat Kesehatan*.
- Dinas Kesehatan DIY. (2020). *Profil kesehat Provinsi DIY Tahun 2019*.
- Henderson. (2016). *Buku Ajar Konsep Kebidanan*. EGC.
- Hoeltzenbein et al. (2017). Pregnancy Outcome After First Trimester Use of Methyldopa. *Hypertension*, Vol 70 (1).

- Hull, J., & Rucklidge, M. (2009). Management of severe pre-eclampsia and eclampsia. *Update in Anaesthesia*, 25(2), 50–54. <https://doi.org/10.1017/9781108790932.006>
- Hutabarat, R.A., Suparman, Eddy., W. F. (2016). *Karakteristik pasien dengan preeklamsia di RSUP Prof. Dr. R. D. Kandou Manado*. volume 4,(1).
- Kario. (2018). *No Title Central Sympathetic Agents and Direct Vasodilators in Hypertension: A Companion to Braunwald's Heart Disease (Third Edition) Ch 26*. Elsevier.
- Karthikeyan, V. J. (2015). *Hypertension in pregnancy; in Nadar, S. and Lip, G.Y.H., Hypertension, Ch. 22, 2nd Ed.* Oxford Cardiology Library.
- Kementerian Kesehatan Republik Indonesia. (2017). *Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/659/2017 Tentang Formularium Nasional*. Kemenkes RI.
- Kementerian Kesehatan Republik Indonesia. (2018). *Profil Kesehatan Indonesia Tahun 2017*. Kemenkes RI.
- Kenny, L. C. (2014). *Early Pregnancy Prediction Of Preeclampsia In Nulliparous Women, Combining Clinical Risk And Biomarkers: The Screening for Pregnancy Endpoints (SCOPE) International Cohort Study*. *Hypertension*. 64(3), 644–652. <https://doi.org/doi: 10.1161/HYPERTENSIONAHA.114.03578>
- Kohlhepp LM, Hollerich G, Hofman K, Rehm M, Louwen F, Zacharowski F, W. C. (2018). No Title. In *Physiological changes during pregnancy*.
- Kumalasari, I. (2015). *Panduan Praktik Laboratorium dan Klinik Perawatan Antenatal, Intranatal, Postnatal, Bayi Baru Lahir dan Kontrasepsi*. Salemba Medika.
- Leeman, L., Dresang, L.T., and Fontaine, P. (2016). *Hypertensive disorder of pregnancy*. *American Family Physicians*. Vol 93 (2), 121–127.
- Malha et al. (2018). *Hypertension in Pregnancy in Hypertension: A Companion to Braunwald's Heart Disease (Third Edit)*. Ch 39. Elsevier.
- Maria Goreti usboko. (2018). Asuhan Keperawatan Dengan Hipertensi Pada Ibu Hamil. *Gastrointestinal Endoscopy*, 10(1), 279–288. <http://dx.doi.org/10.1053/j.gastro.2014.05.023> <https://doi.org/10.1016/j.gie.2018.04.013> <http://www.ncbi.nlm.nih.gov/pubmed/29451164> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5838726> <https://dx.doi.org/10.1016/j.gie.2013.07.022>
- Medscape. (2022). *Drug Interaction Checker*. diakses tanggal 10 Maret 2022. <https://doi.org/https://www.reference.medscape.com/drug-interactionchecker>
- Mitayani. (2013). *Asuhan keperawatan maternitas*. Salemba Medika.

- Muhammad Ulil Amri. (2015). Muhammad Ulil Amri. *Studi Penggunaan Obat Antihipertensi Pada Pasien Pre-Eklampsia Berat Di Instalasi Rawat Inap Rumah Sakit X Surakarta Tahun 2014*, 3(1), 1–15. <http://dx.doi.org/10.1016/j.bpj.2015.06.056><https://academic.oup.com/bioinformatics/article-abstract/34/13/2201/4852827>[Ainternal-pdf://semisupervised-3254828305/semisupervised.ppt](https://semisupervised-3254828305/semisupervised.ppt)[Ahttp://dx.doi.org/10.1016/j.str.2013.02.005](http://dx.doi.org/10.1016/j.str.2013.02.005)[Ahttp://dx.doi.org/10.1016/j.str.2013.02.005](http://dx.doi.org/10.1016/j.str.2013.02.005)
- O'Donnell, A., et al. (2016). Treatments for hyperemesis gravidarum and nausea and vomiting in pregnancy: a systematic review and economic assessment. *Health Technology Assessment, Vol 20 (74)*.
- Olson-Chen, C., and Seligman, N.S. (2016). Hypertensive Emergencies in Pregnancy. *Critical Care Clinics, Vol 32 (1)*.
- Patel, P., Koli, D., Maitra, N., et al. (2018). Comparison of Efficacy and Safety of Intravenous Labetalol Versus Hydralazine for Management of Severe Hypertension in Pregnancy. *Comparison of Efficacy and Safety of Intravenous Labetalol Versus Hydralazine for Management of Severe Hypertension in Pregnancy, Vol 68 (5)*. <https://doi.org/https://doi.org/10.1007/s13224-017-1053-9>
- POGI. (2016). *PNPK Diagnosis dan Tatalaksana Preeklampsia*. 1–48.
- Prawirohardjo, S. (2014). *Ilmu Kebidanan Sarwono Prawirohardjo*. PT. Bina Pustaka Sarwono Prawirohardjo.
- Pulungan, R., Chan, A., Fransiska, E., Renstra, S., Kesehatan, K., Indonesia, R., & Kunci, K. (2019). Persentase Puskesmas Yang Melaksanakan Pelayanan Kefarmasian Sesuai Standar Sebes. *Dunia Farmasi, 3(3)*, 144–152.
- Queensland Clinical Guidelines. (2015). *Hypertensive disorders of pregnancy*.
- Rana, S., Lemoine, E., Granger, J. P., & Karumanchi, S. A. (2019). Preeclampsia: Pathophysiology, Challenges, and Perspectives. *Circulation Research, 124(7)*, 1094–1112.
- RSUD Sleman. (2022). *Profil Rumah Sakit Umum Daerah Sleman*. Website RSUD Sleman. <https://rsudsleman.slemankab.go.id/>.
- Rufaidah, A. (2018). Faktor – faktor yang berhubungan dengan kejadian preeklampsia pada ibu hamil di rsu pku muhammadiyah bantul. *Universitas Aisyiyah Yogyakarta*.
- Saseen J.J. and MacLaughlin E.J. (2017). *Hypertension, Dalam Pharmacotherapy : A Pathophysiologic Approach, McGraw-Hill Global Education Holding*.
- Setyawan, J. F. D., Wiryanthini, I. A. D., & Tianing, N. W. (2019). Gambaran Kadar Protein Urine pada Ibu Hamil Preeklampsia dan Eklampsia di RSUP Sanglah Denpasar Tahun 2017. *Jurnal Medika Udayana, 8(12)*, 1–5. <https://ojs.unud.ac.id>

- Soenarta, A. A., Erwinanto, Mumpuni, A. S. S., Barack, R., Lukito, A. A., Hersunarti, N., Lukito, A. A., & Pratikto, R. S. (2015). Pedoman Tatalaksana Hipertensi Pada Penyakit Kardiovaskular. *Physical Review*, *1*(7), 2413. <https://doi.org/https://doi.org/10.1103/PhysRevD.42.2413>
- Suhardjono. (2017). Hipertensi Pada Kehamilan. Dalam. *Ilmu Penyakit Dalam*, *2*, 4005–4008. <https://core.ac.uk/download/pdf/234099598.pdf>
- Tarigan, A. R., Lubis, Z., & S. (2018). Pengaruh Pengetahuan, Sikap Dan Dukungan Keluarga Terhadap Diet Hipertensi Di Desa Hulu Kecamatan Pancur Batu Tahun 2016. *Jurnal Kesehatan*, *11*, 9–17. <https://doi.org/https://doi.org/10.24252/kesehatan.v11i1.5107>
- Townsend, R. & Khalil, A. (2020). *Hypertension in Pregnancy” in Maternal-Fetal and Neonatal Endocrinology Physiology, Pathophysiology, and Clinical Management*. Kovacs, C. S. & Deal, C. L., Elsevier.
- Weissgerber, T.L. and Mudd, L.M. (2015). Preeclampsia and diabetes. *Current Diabetes Reports*, *15*(3), p.
- Wells, B. G., DiPiro, J. T., Schwinghammer, T. L., & DiPiro, C. V. (2017). *Pharmacotherapy Handbook* (Tenth Edit). In McGraw-Hill Companies.
- Whelton, P. K., Carey, R. M., Aronow, W. S., Casey, D. E., Collins, K. J., Himmelfarb, C. D., DePalma, S. M., Gidding, S., Jamerson, K. A., Jones, D. W., MacLaughlin, E. J., Muntner, P., Ovbiagele, B., Smith, S. C., Spencer, C. C., Stafford, R. S., Taler, J. (2018). *2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults a report of the American College of Cardiology/American Heart Association Task Force on Clinical pr.* <https://doi.org/https://doi.org/10.1161/HYP.000000000000065>.
- Widatiningsih, S dan Dewi, C. H. . (2017). *Praktik Terbaik Asuhan Kehamilan*. Trans Medika.
- Wiles, K., Chappell, L. C., Lightstone, L., & Bramham, K. (2020). Updates in Diagnosis and Management of Preeclampsia in Women with CKD”. *Clinical Journal of the American Society of Nephrology : CJASN, CJN.15121219*.
- Williams, B., Mancia, G., Spiering, W., et al. (2018). 2018 ESC/ESH Guidelines for the management of arterial hypertension. *European Heart Journal.*, Vol 39 (33). <https://doi.org/https://doi.org/10.1093/eurheartj/ehy339>.
- Wulandari, P., & Arifianto, D. S. (2016). *Pengaruh Rendam Kaki Menggunakan Air Hangat dengan Campuran Garam dan Serai Terhadap Penurunan Tekanan Darah Pada Penderita Hipertensi di Wilayah Poderejo Rw 8 Ngaliyan*.

Wynn, R. L., Crossley, H. L., & Meiller, T. F. (2001). *Drug information handbook for dentistry: Oral medicine for medically-compromised patients & specific oral conditions*. <http://books.google.com/books?id=ytYUQgAACAAJ>

Yani, Y. A., Oktavia, N., Melia, M., & Rame, T. (2021). *Preeclampsia is a disease with signs of hypertension , edema and proteinuria that arise due to pregnancy . Preeclampsia can occur in the third trimester of pregnancy but also happeds before or after pregnancy . The aims of this study to determine the patt. 4(1), 242–248.*

UNIVERSITAS JENDERAL ACHMAD YANI YOGYAKARTA  
PERPUSTAKAAN