

**ASUHAN KEBIDANAN BERKESINAMBUNGAN PADA NY. P
UMUR 26 TAHUN PRIMIGRAVIDA DI KLINIK UMUM
PRATAMA BINA SEHAT BANTUL YOGYAKARTA**

Dezvan Andriyani¹, Nendhi Wahyunia Utami²

RINGKASAN

Latar Belakang : Salah satu faktor penyebab terjadinya Persalinan secara SC adalah ibu hamil yang tidur kurang dari 6 jam per malam, untuk mengurangi persalinan secara SC diperlukan asuhan kebidanan berkesinambungan. Asuhan kebidanan berkesinambungan (*Continuity Of Care*) merupakan asuhan atau pemeriksaan secara lengkap untuk memantau kondisi perkembangan ibu sehingga akan menghasilkan kehamilan, persalinan, nifas, bayi baru lahir dan KB yang berkualitas.

Tujuan : Memberikan asuhan kebidanan berkesinambungan (*Continuity Of Care*) dari hamil, bersalin, nifas, neonatus, dan KB sesuai standar pelayanan kebidanan dengan menggunakan pendokumentasian SOAP.

Metode : Metode asuhan kebidanan berkesinambungan yang digunakan adalah metode penelitian deskriptif dengan jenis studi kasus (*Case Study*).

Hasil : Asuhan kebidanan pada Ny. P di mulai dari usia kehamilan 28 minggu 1 hari, kunjungan dilakukan sebanyak 5x kali, ditemukan masalah ketidaknyamanan sulit tidur, kram tangan dan kehamilan dengan presentasi bokong. Memberikan KIE ketidaknyamanan, memberikan asuhan komplementer senam hamil. Persalinan secara SC diberikan komplementer massage punggung. Nifas diberikan komplementer pijat oksitosin dan bayi diberikan komplementer pijat bayi.

Kesimpulan : Asuhan berkesinambungan dan komplementer yang diberikan pada Ny.P telah sesuai dengan standar pelayanan kebidanan.

Kata Kunci : Asuhan Berkesinambungan, Primigravida, Kebidanan

¹Mahasiswa Kebidanan (D-3) Universitas Jenderal Achmad Yani Yogyakarta

²Dosen Kebidanan (D-3) Universitas Jenderal Achmad Yani Yogyakarta

**CONTINUES MIDWIFERY CARE IN NY. P 26 YEARS
PRIMIGRAVID AT THE PRATAMA BINA SEHAT
CLINIC BANTUL YOGYAKARTA**

Dezvan Andriyani¹, Nendhi Wahyunia Utami²

ABSTRAK

Background: One of the factors causing the occurrence of childbirth by SC is pregnant women who sleep less than 6 hours per night, to reduce childbirth by SC requires continuous obstetric care. Continuous Midwifery Care (Continuity Of Care) is a care or a complete examination to monitor the condition of the mother's development so that it will produce a quality pregnancy, childbirth, childbirth, newborns and family planning.

Objective: Provide continuous midwifery care (Continuity Of Care) from pregnancy, childbirth, childbirth, neonates, and family planning according to midwifery service standards using SOAP documentation.

Method: The continuous midwifery care method used is a descriptive research method with case study type.

Results: Midwifery care for Mrs. P starting at 28 weeks 1 day of pregnancy, visits were made 5 times, found problems with discomfort of insomnia, hand cramps and pregnancy with breech presentation. Provides IEC with discomfort, provides complementary care for pregnancy exercises. Childbirth by SC was given back massage massage. Puerperal is given a complementary oxytocin massage and the baby is given a complementary infant massage.

Conclusion: Continuous and complementary care given to Ny. P is in accordance with midwifery service standards.

Keywords: Continuous Care, Primigravida, Midwifery

¹Midwifery Student (D-3) Jenderal Achmad Yani University Yogyakarta

²Dosen Midwifery Lecturer (D-3) Jenderal Achmad Yani University Yogyakarta