

DAFTAR PUSTAKA

- Ahmad, A. R., Juwita, Ratulangi, S. A. D., & Malik, A. (2015). Penetapan Kadar Fenolik dan Flavonoid Total Ekstrak Metanol Buah dan Daun Patikala (*Etlingera elatior* (Jack) R.M.SM). *Pharmaceutical Sciences and Research*, 2(1), 1–10.
- Ahmad, A. R., Sakinah, Wisdawati, & Asrifa, W. O. (2014). Study of antioxidant activity and determination of phenol and flavonoid content of pepino's leaf extract (*Solanum muricatum* aiton). *International Journal of PharmTech Research*, 6(2), 600–606.
- Alfaridz, F., & Amalia, R. (2018). Klasifikasi dan Aktivitas Farmakologi dari Senyawa Aktif Flavonoid. *Farmaka*, 16(3), 1–9.
- Alfian, R., & Susanti, H. (2012). Penetapan Kadar Fenolik Total Ekstrak Metanol Kelopak Bunga Rosella Merah (*Hibiscus Sabdariffa* Linn) Dengan Variasi Tempat Tumbuh Secara Spektrofotometri. *Jurnal Ilmiah Kefarmasian*, Vol. 2(1), 73–80. <http://journal.uad.ac.id/index.php/PHARMACIANA/article/>
- Aminah, A., Tomayahu, N., & Abidin, Z. (2017). Penetapan Kadar Flavonoid Total Ekstrak Etanol Kulit Buah Alpukat (*Persea Americana* Mill.) Dengan Metode Spektrofotometri Uv-Vis. *Jurnal Fitofarmaka Indonesia*, 4(2), 226–230. <https://doi.org/10.33096/jffi.v4i2.265>
- Andarwulan, N., & Faradillah, F. R. H. (2012). *Senyawa Fenolik pada Beberapa Sayuran Indegenous dari Indonesia*. Sefast center.
- Andini, R. A. A. (2018). *Pengujian Aktivitas Antibakteri Ekstrak Etanol 96% Bunga Kupu-Kupu (*Bauhinia Purpurea* L.) Terhadap *Escherichiacoli* Dan *Staphylococcus Aureus**. Universitas Katolik Widya Mandala Surabaya.
- Anulika, N. P., Ignatius, E. O., Raymond, E. S., Osasere, O.-I., & Hilda, A. (2016). The Chemistry Of Natural Product: Plant Secondary Metabolites. *International Journal of Technology Enhancements and Emerging Engineering Research*, 4(8), 1–8.
- Anwar, K., Fadlillaturrahmah, & Sari, D. P. (2017). *Analisis Kandungan Flavonoid Total Ekstrak Etanol Daun Binjai (*Mangifera Caesia* Jack.) Dan Tikus yang*

Diinduksi Fruktosa-Lemak Tinggi. 2(March), 20–30.

- Ardiansyah, Herdini, & Abdullah. (2015). Isolasi dan Karakterisasi Senyawa Metabolit Sekunder Fraksi Etil Asetat dari Kulit Batang Tumbuhan *Bauhinia purpurea* L. *Jurnal Pendidikan Kimia*, 1(1), 42–29.
- Arifin, B., & Ibrahim, S. (2018). *Struktur, Bioaktivitas Dan Antioksidan Flavonoid*. *Jurnal Zarah*, 6(1), 21-29.
- Aryantini, D. (2021). *Aktivitas Antioksidan Dan Kandungan Tanin Total Ekstrak Etanol Daun Kupu-Kupu (Bauhinia purpurea L.)*. *Jurnal Farmagazine*, 8(1), 54. <https://doi.org/10.47653/farm.v8i1.537>
- Azizah, D. N., Kumolowati, E., & Faramayuda, F. (2014). Penetapan Kadar Flavonoid Metode $AlCl_3$ Pada Ekstrak Metanol Kulit Buah Kakao (*Theobroma cacao* L.). *Kartika Jurnal Ilmiah Farmasi*, 2(2), 45–49. <https://doi.org/10.26874/kjif.v2i2.14>
- Blainski, A., Lopes, G. C., & De Mello, J. C. P. (2013). Application and analysis of the folin ciocalteu method for the determination of the total phenolic content from *limonium brasiliense* L. *Molecules*, 18(6), 6852–6865. <https://doi.org/10.3390/molecules18066852>
- Chandrashekar, K., & Kumar, T. (2011). *Bauhinia purpurea* Linn. A Review of its Ethnobotany, Phytochemical and Pharmacological Profile. *Research Journal of Medicinal Plant*, 5(4), 420–431.
- Chun, O. K., Kim, D. O., & Lee, C. Y. (2003). Superoxide Radical Scavenging Activity of the Major Polyphenols in Fresh Plums. *Journal of Agricultural and Food Chemistry*, 51(27), 8067–8072. <https://doi.org/10.1021/jf034740d>
- Daksha, G., Chandrashekar, K. S., Lobo, R., Nilesh, G., & Reshma, K. (2012). Pharmacognostic and Phytochemical Investigation of the Stem Bark of *Bauhinia Purpurea*. *International Research Journal of Pharmacy*, 3(2), 166–168.
- Day, R. A., & Underwood, A. L. (2001). *Analisis Kimia Kuantitatif edisi ke 6* (D. . Terjemahan Sopyan Lis (ed.)). Erlangga.
- Departemen Kesehatan Republik Indonesia. (2008). *Farmakope Herbal Indonesia*. DepKes RI. Jakarta

- Departemen Kesehatan RI. 1995, *Farmakope Indonesia*, Ed. IV. Departemen Kesehatan Republik Indonesia, Jakarta.
- Desmiaty, Y., Ratih H., Dewi M.A., Agustin R. 2008. *Penentuan Jumlah Tanin Total pada Daun Jati Belanda (Guazuma ulmifolia Lamk) dan Daun Sambang Darah (Excoecaria bicolor Hassk.) secara Kolorimetri dengan Pereaksi Biru Prusia*. *Ortocarpus*, 8, 106-109
- Destiarti, L., Widiyantoro, A., Rusmiyanto, E., Maryati, Harlia, Safitri, R., & Supratman, U. (2009). Isolasi dan Karakterisasi Senyawa Kimia dari Kulit Batang Manggis (*Garcinia mangostana* Linn). *Journal Tropical Wood Science & Technology*, 7(2), 75–78.
- Dewi, B. S., Safe'i, R., P., S., Hariyanto, Bintoro, A., D., G., Winarno, Iswandar, D., & Santoso, T. (2017). *Biodiversitas Flora dan Fauna*. Universitas Lampung.
- Dewick, M. P. (2001). *Medicinal Natural Products A Biosynthetic Approach Second Edition*. John Wiley & Sons Ltd.
- Dirjen POM. (2014). *Farmakope Indonesia Edisi IV*. Departemen Kesehatan RI.
- Dwiyani, R. (2013). *Mengenal Tanaman Pelindung di Sekitar Kita*. Udayana University Press.
- Endarini, L. H. (2016). *Farmakognisi dan Fittokimia*. Pusdik SDM Kesehatan.
- Fauziah, L., 2008, *Studi Dimerisasi Asam*, FMIPA, Universitas Indonesia, Depok
- Gandjar, I. G., & Rohman, A. (2007). *Kimia Farmasi Analisis*. Pustaka Pelajar.
- Garg, N., Abdel-Aziz, S. M., & Aeron, A. (2016). *Microbes in Food and Health*. Springer.
- Ghosh, D., & Konishi, T. (2007). Anthocyanins and Anthocyanin-Rich extracts: Role Diabetes and Eye Function. *Asia Pac J Clin Nutr*, 16(2), 200–208.
- Gilman, E. F., & Watson, D. G. (2016). *Bauhinia purpurea : Purple Orchid-Tree*. IFAS Extension.
- Goldberg, I. (1996). *Designer foods, Pharmafoods, Nutraceutical* (London (ed.)). Chapman & Hall, Inc.
- Harbone, J. B. (1973). *Phytochemical Methods. A Guide to Modern Techniques of Plant Analysis*. Chapman and Hall.

- Harbone, J. B. (1987). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan* (K. dan I. S. diterjemahkan oleh Padmawinata (ed.); Edisi 2). Penerbit ITB.
- Hoelz, L. V. B., Horta, B. A. C., Araujo, J. Q., Albuquerque, M. G., Alencastro, R. B. de, & Silve, J. F. M. da. (2010). Quantitative structure-activity relationships of antioxidant phenolic compounds. *Journal of Chemical and Pharmaceutical Research*, 5(2), 291–306.
- Hossain, M. K., Hassan, M. M., Parvin, M. N., Hasan, M. M., Islam, M. S., & Haque, M. A. (2012). Antimicrobial, cytotoxic and thrombolytic activity of Cassia senna leaves (family: Fabaceae). *Journal of Applied Pharmaceutical Science*, 2(6), 186–190. <https://doi.org/10.7324/JAPS.2012.2607>
- Idrus, R. B., Bialangi, N., & Alio, L. (2013). Isolasi Dan Karakterisasi Senyawa Alkaloid Dari Biji Tumbuhan Sirsak (*Annona muricata* Linn). *Journal Sainstek*, 7(01).
- Ikalinus, R., Widyastuti, S.K., and Setiasih N.L.E. *Skrining Fitokimia Ekstrak Etanol Kulit Batang Kelor Indonesia Medicus Veterinus*. (Moringa oleifera). Volume 4 (1).
- Indrawati, N. L., & Razimin. (2013). *Bawang Dayak : Si Umbi Ajaib Penakluk Aneka Penyakit*. PT. Agro Media Pustaka.
- Indrayani, S. (2008). *Validasi Penetapan Kadar Kuersetin dalam Sediaan Krim secara Kolorimetri dengan Pereaksi AlCl₃*. Skripsi. Fakultas Farmasi Universitas Sanata Dharma. Yogyakarta.
- Irianty, Sri. R., Yenti, Silvia. R. 2014. *Pengaruh Perbandingan Pelarut Etanol-Air terhadap Kadar Tanin pada Sokletasi Daun Gambir. (Uncaria gambir Roxb)*. SAGU. Vol 13.
- Istiqamatush, S., & Ika, T. D. K. (2015). *Pengujian Aktivitas Antibakteri Ekstrak Etanol dan Infusa Daun Kupu-Kupu*. Universitas Muhammadiyah Surakarta.
- Istiqomah. (2013). *Perbandingan Metode Ekstraksi Maserasi dan Soxhletasi terhadap Kadar Piperin Buah Cabe Jawa (Piperis retrofacti fructus)*. Skripsi. Farmasi UIN Syarif Hidayatullah. Jakarta
- Javanmardi, J., Stushnoff, C., Locke, E., & Vivanco, J. M. (2003). Antioxidant

- activity and total phenolic content of Iranian *Ocimum* accessions. *Food Chemistry*, 83(4), 547–550. [https://doi.org/10.1016/S0308-8146\(03\)00151-1](https://doi.org/10.1016/S0308-8146(03)00151-1)
- Julianto, T. S. (2019). *Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia*. Universitas Islam Indonesia.
- Khopkar, S. M. (2010). *Konsep Dasar Kimia Analitik* (T. oleh Saptoharardjo (ed.)). Universitas Indonesia Press.
- Krishnaveni, M. (2014). *Antioxidant Potential Of Bauhinia Purpurea (L) leaf*. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(7), 558–560.
- Lade BD, Patil AS, Paikrao HM, Kale AS, Hire KK. 2014. A Comprehensive Working, Principles And Applications Of Thin Layer Chromatography. *Research J Of Pharma, Bio And Chem Sci*. 5(4): 486-503. ISSN: 0975-8585.
- Lai, H. Y., & Lim, Y. Y. (2011). Evaluation of Antioxidant Activities of the Methanolic Extracts of Selected Ferns in Malaysia. *International Journal of Environmental Science and Development*, 2(6), 2–7.
- Lenny, S. (2006). *Senyawa Flavonoida, Fenil Propanoida dan Alkaloida* (Karya Ilmi). MIPA Universitas Sumatera Utara.
- Lestari, P., Kusriani, D., & Anam, K. (2014). Anthocyanin Identification of Methanol-Hcl Extract Active Fraction in Rosella (*Hibiscus Sabdariffa*. L) and Its Potential As Xanthine Oxidase Inhibitor. *Jurnal Sains Dan Matematika*, 22(3), 72–78.
- López, M., Martínez, F., Del Valle, C., Ferrit, M., & Luque, R. (2003). Study of Phenolic Compounds as Natural Antioxidants by a Fluorescence Method. *Talanta*, 60(2–3), 609–616. [https://doi.org/10.1016/S0039-9140\(03\)00191-7](https://doi.org/10.1016/S0039-9140(03)00191-7)
- Marunaka, Y., Marunaka, R., Sun, H., Yamamoto, T., Kanamura, N., Inui, T., & Taruno, A. (2017). Actions of quercetin, a polyphenol, on blood pressure. *Molecules*, 22(2), 5–8. <https://doi.org/10.3390/molecules22020209>
- Meshram, S. S., Itankar, P. R., Patil, A. T., Meshram, M. S. S., Itankar, P. R., & Patil, A. T. (2013). To Study Antidiabetic Activity of Stem Bark of *Bauhinia purpurea* Linn. *Journal of Pharmacognosy and Phytochemistry*, 2(1), 171–175. www.phytojournal.com

- Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*, VII(2), 76. <https://doi.org/10.17969/agripet.v16i2.4142>
- Mulja, M., & Suharman. (1995). *Analisis Instrumental*. Airlangga University Press.
- Nasution, M. R., & Ardhiyati, B. (2019). Total Fenolik dan Flavonoid serta Aktivitas Antioksidan Ekstrak Etanol Daun Tenggek Burung (*Eudia redlevi*). *Prosiding SainsTeKes, 2001*, 58–65.
- Neldawati, Ratnawulan, & Gusnedi. (2013). Analisis Nilai Absorbansi dalam Penentuan Kadar Flavonoid untuk Berbagai Jenis Daun Tanaman Obat. *Pillar of Physics*, 2, 76–83.
- Ningsih, & Yulia, I. (2016). Studi Etnofarmasi Penggunaan Tumbuhan Obat Oleh Suku Tengger Di Kabupaten Lumajang Dan Malang, Jawa Timur. *Pharmacy*, 13(01), 10.
- Nollet, L. M. (2015). *Handbook of food Analysis*. CRC Press, Taylor and Francis Group.
- Nugrahani, R., Andayani, Y., & Hakim, A. (2016). Phytochemical Screening of Beans (*Phaseolus vulgaris* L) Extract in Powder Preparation. *Ipa Educational Research Journal (JPPIPA)*, 2(1), 96–103. <http://www.esciencecentral.org/journals/minimum-inhibitory-and-bactericidal-concentrations-mic-2327-5162-3-171.php?aid=32968>
- Nurhayati, Siadi, K., & Harjono. (2012). Pengaruh Konsentrasi Natrium Benzoat Dan Lama Penyimpanan Pada Kadar Fenolat Total Pasta Tomat (*Lycopersicum esculentum* Mill). *Indonesian Journal of Chemical Science*, 1(2), 158–163.
- Nurjanah, Izzati, L., & Abdullah, A. (2011). Aktivitas Antioksidan dan Komponen Bioaktif Kerang Pisau (*Solen spp*). *Ilmu Kelautan*, 16(3), 119–124. <https://doi.org/10.14710/ik.ijms.16.3.119-124>
- Pahwa, S., Mazumder, R., Bhattacharya, S., Kumari, S., Mazumder, A., & Singh, D. P. (2010). Pharmacognostical and Phytochemical Evaluation of the leaves of *Bauhinia purpurea* Linn. *Ancient Science of Life*, 30(2), 28–32.
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5, 1–15. <https://doi.org/10.1017/jns.2016.41>

- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302. <https://doi.org/10.1021/jf0502698>
- Radhika, B. (2018). Pharmacognostic and Phytochemical Investigation of Bauhinia X Blackeana Linn Leaves. *World Journal Of Pharmaceutical Research*, 7(08), 1–12. <https://doi.org/10.20959/wjpr20188-11896>
- Rao, U. S. M., Abdurrazak, M., & Mohd, K. S. (2016). Phytochemical Screening, Total Flavonoid And Phenolic Content Assays Of Various Solvent Extracts Of Tepal OF Musa paradisiaca. *Malaysian Journal of Analytical Sciences*, 20(5), 1181–1190. <https://doi.org/10.17576/mjas-2016-2005-25>
- Robinson, T. (1995). *Kandungan Organik Tumbuhan Tinggi* (D. oleh K. Padmawinata (ed.)). Penerbit ITB.
- Saifudin, A. (2014). *Senyawa Alam Metabolit Sekunder. Teori, Konsep, dan Teknik Pemurnian*. Penerbit Deepublish.
- Sam, S., Malik, A., & Handayani, S. (2016). Penetapan Kadar Fenolik Total Dari Ekstrak Etanol Bunga Rosella Berwarna Merah (*Hibiscus Sabdariffa* L.) Dengan Menggunakan Spektrofotometri UV-Vis. *Jurnal Fitofarmaka Indonesia*, 3(2), 182–187. <https://doi.org/10.33096/jffi.v3i2.220>
- Sangi, M.S., Momuat, L.I. dan Kumaunang, M., 2013. Uji toksisitas dan skrining fitokimia tepung gabah pelepah aren (*Arange pinnata*). Universitas Sam Ratulangi. Manado.
- Shah, R. S., Pawar, R. B., & Gayakar, P. P. (2015). UV-Visible Spectroscopy - A Review. *International Journal of Institutional Pharmacy and Life Sciences*, 5(5), 490–505.
- Shajiselvin, C. D., Somasundaram, G., & Muthu, A. K. (2011). Antioxidant capacity of various extracts from whole plant of *Bauhinia purpurea* (Linn) evaluated by three in Vitro methods. *Pharmacologyonline*, 1, 221–227.
- Sri, P. W. (2008). *Evaluasi Aktivitas Antioksidatif Ekstrak Daun Beluntas (*Pluchea Indica Less*) Berdasarkan Perbedaan Ruas Daun*. Penerbit IPB.
- Suhartati, T. (2017). *Dasar-Dasar Spektrofotometri UV-Vis dan Spektrofotometri*

Massa untuk Penentuan Struktur Senyawa Organik. AURA.

- Sutir, F. (2012). Analisis Kandungan Senyawa Flavonoid Total dalam Sediaan Cair Kasumba Turate (*Carthamus tinctorius* Linn.) secara Spektrofotometri UV Vis. *Jurnal Ilmiah Kefarmasian*, 4(2), 38–47.
- Tina, W. H. (2011). Informasi singkat benih *Bauhinia purpurea* Linn. *Jurnal Direktorat Perbenihan Tanaman Hutan*, 131, 1–2.
- Tricone, A. (2013). *Maryne Enzymes For Biocatalysis*. Woodhead Publishing.
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Journal Medicines*, 5(3), 93. <https://doi.org/10.3390/medicines5030093>
- Ukoha, P. O., Cemaluk, E. A. C., Nnamdi, O. L., & Madus, E. P. (2011). Tannins And Other Phytochemical Of The *Samanea saman* Pods And Their Antimicrobial Activities. *African Journal of Pure and Applied Chemistry*, 5(8), 237–244. <http://www.academicjournals.org/AJPAC>
- Vermerris, & Nicholson, W. (2007). *Phenolic Compound Biochemistry*. Springer.
- Widiyantoro. (2010). *Klasifikasi Tanaman Kupu-Kupu (Bauhinia purpurea L.)*. Balai Besar Perbenihan dan Proteksi Tanaman Perkebunan Surabaya.
- Winarsi, W. (2007). *Antioksidan Alami dan Radikal Bebas*. Kanisius.
- Yordi, E. G., Perez, E. M., Matos, M. J., & Villares, E. U. (2012). *Nutrition, Well-Being and Health* (J Bohn T. (ed.)). INTECH.
- Zuraida, Sulistiyani, Sajuthi D, Suparto HI. 2017. *Fenol, Flavonoid, dan Aktivitas Antioksidan pada Ekstrak Kulit Batang Pulai (Alstonia scholaris R.Br)*. IPB. *Jurnal Penelitian Hasil Hutan*. Bogor. 35 (3): 211-219.