

**ASUHAN KEBIDANAN BERKESINAMBUNGAN PADA NY. Y USIA 37  
TAHUN MULTIPARA DI PMB FARIDA KARTINI KASIHAN BANTUL  
YOGYAKARTA**

Firanty Helma Sosal<sup>1</sup>, Nur Rahmawati Sholihah<sup>2</sup>

**INTISARI**

**Latar Belakang :** Ibu hamil dengan risiko tinggi yang mempunyai potensi komplikasi pada ibu hamil dengan usia > 35 tahun dan jarak kehamilan >10 tahun memiliki risiko tinggi..

**Tujuan :** Memberikan asuhan kebidanan berkesinambungan pada Ny. Y usia 37 tahun Multipara di PMB Farida Kartini Kasihan Bantul.

**Metode :** Asuhan kebidanan berkesinambungan digunakan adalah metode deskriptif, dengan jenis studi kasus.

**Hasil :** Asuhan kebidanan dilakukan pada Ny. Y dari K1 tanggal 11 Maret 2020 dengan keluhan merasa nyeri dibagian selangkangan sampai ke punggung diberikan KIE cara mengatasi nyeri punggung dengan pijat punggung. K2 20 Maret 2020 dengan keluhan dada agak sesak memberikan KIE ketidaknyamanan pada TM III. Pada kala I berlangsung selama 17 jam, kala II 45 menit, kala III 5 menit, kala IV 2 jam. Pada persalinan kala I memberikan komplementer *massage*, *counterpressure*, *LAZAME*. Pada masa nifas tidak memberikan komplementer pijat oksitosin. Pada neonatus tidak memberikan komplementer pijat bayi.

**Kesimpulan :** Asuhan kebidanan berkesinambungan yang telah dilakukan pada Ny. Y berlangsung dengan baik dan asuhan yang telah diberikan sesuai dengan teori serta sesuai dengan kebutuhan ibu dan bayi sehingga masalah yang ada dapat ditangani dengan baik.

**Kata Kunci :** Asuhan Berkesinambungan, Kebidanan, Usia Hamil ≥ 35 Tahun

<sup>1</sup> Firanty Helma Sosal Kebidanan (D- 3) Universitas Jenderal Achmad Yani Yogyakarta

<sup>2</sup> Nur Rahmawati Sholihah, M.Keb (D -3) Universitas Jenderal Achmad Yani Yogyakarta

**ASUHAN KEBIDANAN BERKESINAMBUNGAN PADA NY. Y USIA 37  
TAHUN MULTIPARA DI PMB FARIDA KARTINI KASIHAN BANTUL  
YOGYAKARTA**

Firanty Helma Sosal<sup>1</sup>, Nur Rahmawati Sholihah<sup>2</sup>

**ABSTRAK**

**Background:** High risk pregnant women who have the potential to experience complications in pregnant women with age > 35 years and pregnancy interval > 10 years are high risk.

**Purpose:** Providing continuous midwifery care to Mrs. Y, 37 years old Multipara at PMB Farida Kartini Pity Bantul

**Methods:** Continuous midwifery care used is a descriptive method, with a type of case study.

**Result:** Midwifery care was done to Mrs. Y from K1 on March 11, 2020 with complaints of feeling pain in the groin to the back was given KIE how to deal with back pain with back massage. K2 March 20, 2020 with complaints of chest tightness giving KIE discomfort to TM III. The first stage lasts 17 hours, the second stage is 45 minutes, the third stage is 5 minutes, the IV stage is 2 hours. At the first stage of labor give a complementary massage, counterpressure, LAZAME. During the puerperium it does not provide complementary oxytocin massage. Neonates do not provide complementary infant massage.

**Conclusion:** Continuous midwifery care that has been carried out on Mrs. Y goes well and the care that has been given is in accordance with the theory and in accordance with the needs of the mother and baby so that the problems can be handled properly

**Keywords:** Continuous Care, Obstetrics, Pregnancy Age  $\geq$  35 Years

1 Firanty Helma Sosal Midwifery (D-3) Universitas Jenderal Achmad Yani Yogyakarta

2 Nur Rahmawati Sholihah, M.Keb (D -3) Universitas Jenderal Achmad Yani Yogyakarta