

ANGKA KEJADIAN ANEMIA PADA IBU HAMIL TRIMESTER III PADA TAHUN 2010-2013 DI PUSKESMAS KALIBAWANG KULONPROGO YOGYAKARTA

Devi Saksianti Putri¹, Dwi Yulinda²

INTISARI

Latar Belakang : Anemia dalam kehamilan merupakan kondisi yang ditandai dengan kadar hemoglobin di bawah 11 gr%. Anemia pada ibu hamil dapat mengakibatkan partus lama karena inertia uteri, syok, infeksi, (intrapartum maupun postpartum), ketuban pecah dini (KPD), persalinan prematuritas, abortus, cacat bawaan, hambatan tumbuh kembang janin dalam rahim, dan perdarahan antepartum, bayi berat lahir rendah.

Tujuan: mengetahui angka kejadian anemia pada ibu hamil trimester III pada tahun 2010-2013 di Puskesmas Kalibawang Kulonprogo Yogyakarta.

Metode penelitian: Jenis penelitian *Descriptif Kuantitatif* dengan pendekatan *Retrospektif Study*. Sampel yang digunakan adalah ibu hamil yang mengalami anemia trimester III pada tahun 2010-2013 di Puskesmas Kalibawang kulonprogo Yogyakarta. Teknik sampling menggunakan *total sampling*. Teknik pengumpulan data data dari Rekam Medis. *Analisis univariat*.

Hasil Penelitian: menunjukkan angka kejadian anemia pada ibu hamil trimester III pada tahun 2010-2013 sebagian besar responden mengalami anemia ringan dan sebagian kecil responden mengalami anemia sedang.

Kesimpulan: ibu hamil anemia trimester III pad tahun 2010-2013 di Puskesmas Kalibawang Kulonprogo Yogyakarta. Pada tahun 2010-2011 terjadi peningkatan yaitu 131 orang (78,0%), 112 orang (76,7%), terjadi penurunan pada tahun 2012 yaitu 64 orang (72,7%), dan terjadi peningkatan pada tahun 2013 sebesar 131 orang (78,0%), dan sebagian besar ibu hamil trimester III mengalami anemia ringan.

Kata kunci : angka kejadian anemia pada ibu hamil trimester III pada tahun 2010-2013

¹ Mahasiswa Diploma III Kebidanan STIKES A. Yani Yogyakarta

² Dosen STIKES A. Yani Yogyakarta

**THE INCIDENCE RATE OF ANEMIA ON TRIMESTER III EXPECTANT
MOTHER IN 2010 – 2013 AT COMMUNITY HEALTH CENTER OF
KALIBAWANG KULONPROGO YOGYAKARTA**

Devi Saksianti Putri¹, Dwi Yulinda²

ABSTRACT

Background: Anemia in pregnancy is a condition that is signed by hemoglobin degree below 11 gr%, that is caused by anemia on trimester III expectant mothers that is old parturition because of uteri inertia, shock, infection, (interpartum or postpartum), premature rupture of membrane, premature childbirth, abortion, congenital defect, barrier of fetus's growth and development in the uterus, and antepartumhaemorrhage, and low birth weight infant.

Objective: to know incidence rate of anemia on trimester III expectant mother in 2010 – 2013 at Community Health Center Kalibawang Kulonprogo Yogyakarta

Researchmethod: research design is quantitative descriptive with retrospective study approach. Sample that is used is expectant mothers who have anemia of trimester III in 2010 – 2013 at Community HealthCenter of KalibawangKulonprogo Yogyakarta. Sampling technique used total sampling. Data collection method is from medical record then analyzed by univariate analysis.

Researchresult: showed incidence rate anemia on trimester III expectant mother in 2010 – 2013 is most of the respondents have light anemia and slightly have medium anemia.

Conclusion: trimester III expectant mother in 2010 – 2013Community HealthCenter of Kalibawang Kulonprogo Yogyakarta. 2010-2011 at there is improvement that is 131 people (78%), 112 people (76,7%). In 2012 there is reduction that is 64 people (72,7%), and in 2013 there is improvement that is 131 people (78,0%), most of trimester expectant mother have light anemia.

Keywords: The incidence rate of anemia on trimester III expectant mother in 2010 – 2013

¹Student of Diploma III Midwifery School of Health of A. Yani Yogyakarta

²Lecturer of School of Health of A. Yani Yogyakarta