

GAMBARAN PELAKSANAAN 7 T PADA IBU HAMIL DI WILAYAH KERJA PUSKESMAS MLATI II SLEMAN YOGYAKARTA

INTISARI

Nurhayati¹, Alfie Ardiana Sari, M.Keb²

Latar Belakang: Tahun 2012 bahwa terdapat 2 kematian ibu melahirkan akibat preeklamsi berat di wilayah kerja Puskesmas Mlati II, tujuan dilakukannya antenatal 7T yaitu untuk mendeteksi dini adanya komplikasi atau ketidaknormalan pada ibu hamil sedini mungkin. angka cakupan K1 tercapai 100.0% dari target yang seharusnya 97% sedang untuk deteksi resiko tinggi ibu hamil tercapai 61,96%. Pencapaian KI sudah melebihi target yang diharapkan. Sedangkan untuk angka cakupan K4 baru tercapai 94,2% dari target yang harus 97%. Pencapaian K4 hasilnya masih dibawah target yang diharapkan

Tujuan Penelitian : Mengetahui gambaran pelaksanaan 7T pada ibu hamil yang dilakukan bidan di Puskesmas Mlati II Sleman, Yogyakarta.

Metode Penelitian : Penelitian ini menggunakan metode *observational*. Teknik pengambilan sampel yang digunakan dalam penelitian ini adalah *accidental sampling*. Sampel dalam penelitian ini adalah sebanyak 59 ibu hamil. Analisis data menggunakan *univariat*. Instrumen pengumpulan data adalah checklist.

Hasil Penelitian : Hasil uji analisis *diskriptif prosentase*, diperoleh hasil pelaksanaan penimbangan berat badan dilaksanakan (100%), pemeriksaan tekanan darah dilaksanakan (89,8%), pemeriksaan TFU dilaksanakan (79,7%), pemberian tablet Fe dilaksanakan (96,6%), pemberian imunisasi TT cukup (86,4%), pemeriksaan Hb dilaksanakan (81,4%), temu wicara kategori dilaksanakan (74,6%).

Kesimpulan : Sebagian besar pelaksanaan kategori dilaksanakan sebesar 52,5% dan kategori tidak dilaksanakan sebesar 47,5%.

Kata Kunci : Pelaksanaan 7T

1 Mahasiswa STIKES Achmad Yani Yogyakarta

2 Dosen STIKES Achmad Yani Yogyakarta

DESCRIPTION OF THE IMPLEMENTATION 7T ON PREGNANT WOMEN IN WORK AREA HEALTH MLATI II SLEMAN YOGYAKARTA

ABSTRACT

Nurhayati¹, Alfie Ardiana Sari, M.Keb²

Background: Maternal deaths due to severe preeclampsia in Puskesmas Mlati II, figure K1 coverage reached 100.0% of the target was supposed to be 97% for the detection of high risk pregnant women reached 61.96%. KI has exceeded the achievement of the expected target. As for the number of new K4 coverage reached 94.2% of the target should be 97%. K4 attainment results are still below the expected target (health, Sleman Regency, 2012).

Objective: To identify overview of the implementation of 7T in pregnant women conducted at the health center midwife Mlati II Sleman, Yogyakarta.

Methods: This study used observational. The sampling technique used in this study was accidental sampling. The sample in this research were 59 pregnant women. The data analysis using descriptive percentages. Data collection instruments are checklist.

Results: The percentage descriptive analysis of test results, obtained results of the implementation of the weighing implemented (100%), blood pressure checks carried out (89.8%), TFU examination carried out (79.7%), Fe tablet administration implemented (96.6 %), immunization TT enough (86.4%), Hb examination carried out (81.4%), colloquium held category (74.6%).

Conclusion: Most of the implementation of the category held by 52,5% and the category is not implemented 47,5%

Keywords: Implementation, 7T

¹Students STIKES Achmad Yani Yogyakarta

²Lecturer STIKES Achmad Yani Yogyakarta