

**THE DECRPTION OF POSTPARTUM WOMEN'S KNOWLEDGE
ABOUT PLUGGED MILK DUCT IN *BIDAN PRAKTEK*
MANDIRI DINI MELANI CONDONG
CATUR DEPOK SLEMAN**

FIFIK NUR AINI¹, Grhasta Dian Perestroika²

ABSTRACT

Background: One of the health indicators of a country is the Mother's Mortality Rate (MMR). The highest cause of MMR is on postpartum women (50%). Therefore, it is important to have intensive care during post natal in order to prevent the problems that period. One of the postpartum problems is plugged milk duct. In BPM Dini Melani, (10%) of postpartum women do not know the cause of plugged milk duct, (70%) of them do not know the effect of it and (20%) of them do not know about it.

Objective: This study aims to discover the description of postpartum women's knowledge about plugged milk duct in BPM Dini Melani Condong Catur Depok Sleman.

Methods: This study is a descriptive research white used survey design. The subjects of this study were 45 postpartum women in which using accidental sampling resulted in 40 respondents as the samples. Univariate analysis was carried out to analyze the data.

Results: The knowlegeof pospartum women about plugged milk duct is categorized as good (42,5%), the knowledge about the cause of plugged milk duct is categorized as good (65%), the knowledge about signs and symptoms of plugged milk duct is categorized as enough (45%), the plugged milk duct prevention is categorized as insufficient (62,5%), the plugged milk management is categorized as enough (40%), and the knowledge about the cause of plugged milk duct is categorized as good (55%), the knowledge about plugged milk duct in BPM Dini Melani Condong Catur, Depok, Sleman is categorized as enough (50%).

Conclusion: it can be concluded that the postpartum women have enough knowledge of about plugged milk duct.

Key words: *the knowledge, of postpartum women, plugged milk duct*

¹Student of Stikes Jenderal A. Yani Yogyakarta

²Lecturer of Stikes Jenderal A. Yani Yogyakarta

**GAMBARAN TINGKAT PENGETAHUAN IBU NIFAS TENTANG
BENDUNGAN ASI PADA IBU POST PARTUM DI BIDAN
PRAKTEK MANDIRI DINI MELANI CONDONG
CATUR DEPOK SLEMAN**

FIFIK NUR AINI¹, Grhasta Dian Perestroika²

INTISARI

Latar Belakang: Salah satu indikator derajat Kesehatan suatu Negara adalah angka kematian ibu (AKI). Penyebab AKI terbanyak terjadi pada ibu nifas (50%). Oleh sebab itu perlu di berikan perawatan intensive dalam masa nifas untuk mencegah timbulnya permasalahan masa nifas. Permasalahan ibu nifas salah satunya adalah bendungan ASI di BPM Dini Melani (10%) ibu nifas belum mengerti penyebab terjadinya bendungan ASI, (70%) ibu nifas tidak mengerti dampak bendungan ASI dan (20%) tidak tau bendungan ASI.

Tujuan: Untuk mengetahui gambaran pengetahuan ibu nifas tentang bendungan ASI di BPM Dini Melani Karangasem Condong Catur Depok Sleman.

Metode: Penelitian ini dilakukan secara deskriptif dengan rancangan *survey*. Populasi dalam penelitian ini berjumlah 45 ibu nifas dengan teknik *accidental sampling* diperoleh sampel sejumlah 40 responden. Analisa data yang digunakan adalah analisa univariat.

Hasil: Tingkat pengetahuan ibu nifas tentang pengertian bendungan ASI pada ibu nifas dalam kategori baik (42.5%), penyebab bendungan ASI dalam kategori baik (65%), Tanda Dan Gejala Bendungan ASI dalam kategori cukup (45%), pencegahan bendungan ASI dalam kategori kurang (62.5%), Penatalaksanaan bendungan ASI dalam kategori cukup (40%), Akibat Bendungan ASI dalam kategori baik (55%), Bendungan ASI di BPM Dini Melani Desa Karang Asem Condong Catur, Kecamatan Depok, Kabupaten Sleman dalam kategori cukup (50%).

Kesimpulan: Pengetahuan ibu nifas tentang bendungan ASI dalam kategori cukup.

Kata Kunci: Pengetahuan, ibu nifas, bendungan ASI.

¹Mahasiswa Studi Stikes Jenderal A. Yani Yogyakarta

²Dosen Studi Jenderal A. Yani Yogyakarta