

**GAMBARAN PENGETAHUAN REMAJA PRIA TENTANG EFEK  
MEROKOK PADA KESEHATAN REPRODUKSI DI KELAS X  
SMK 3 YOGYAKARTA 2013**

**INTISARI**

Orchidia Desinta<sup>1</sup>, Endang Suprapti, S.ST<sup>2</sup>, Tri Sunarsih, SST.,M.Kes<sup>3</sup>

**Latar Belakang** : Menurut Departemen Kesehatan RI, prevalensi perokok di Indonesia mengalami peningkatan dari tahun 1995 sebanyak 26,9% menjadi 36,5% pada tahun 2005, dimana pria sebesar 62,2% dan wanita sebesar 1,3%. Sebagian besar (68,8%) perokok mulai merokok sebelum umur 19 tahun, saat masih anak-anak atau remaja (DepKes RI, 2005).

**Tujuan** : Untuk gambaran pengetahuan remaja pria tentang efek merokok pada kesehatan reproduksi di SMK 3 Yogyakarta 2013.

**Metode Penelitian** : Penelitian ini menggunakan metode *deskriptif*. Populasi siswa kelas X di SMK 3 Yogyakarta. Metode pengambilan sampel menggunakan *purposive sampling*. Analisis digunakan *deskriptif prosentase*.

**Hasil** : Dari hasil uji analisis *deskriptif prosentase*, pengetahuan siswa tentang efek samping rokok cukup, sebanyak 41 responden (47,1%), pengertian dan jenis rokok cukup, sebanyak 44 responden (50,6%), kandungan rokok baik, sebanyak 41 responden (47,1%), bahaya rokok bagi kesehatan reproduksi cukup, sebanyak 35 responden (40,2%).

**Kesimpulan** : Dari penelitian didapatkan bahwa engetahuan siswa tentang efek samping rokok cukup, sebanyak 41 responden (47,1%), pengertian dan jenis rokok cukup, sebanyak 44 responden (50,6%), kandungan rokok baik, sebanyak 41 responden (47,1%), bahaya rokok bagi kesehatan reproduksi cukup, sebanyak 35 responden (40,2%).

**Kata kunci** : Pengetahuan, Efek Merokok Pada Kesehatan Reproduksi

---

<sup>1</sup> Mahasiswa DIII Kebidanan STIKES A. Yani Yogyakarta

<sup>2</sup> Pembimbing STIKES A. Yani Yogyakarta

<sup>3</sup> Penguji STIKES A. Yani Yogya

**DESCRIPTION OF KNOWLEDGE ABOUT MALE TEEN SMOKING  
EFFECTS ON REPRODUCTIVE HEALTH IN YOGYAKARTA  
VOCATIONAL HIGH SCHOOL III 2013**

**ABSTRACT**

Orchidia Desinta<sup>1</sup>, Endang Suprapti, S.ST<sup>2</sup>, Tri Sunarsih, SST.,M.Kes<sup>3</sup>

**Background:** According to the World Health Organization concerning the prevalence of smokers in Indonesia increased from 1995 as much as 26.9% to 36.5% in 2005, which 62.2% in men and women by 1.3%. Most (68.8%) of smokers start smoking before the age of 19 years, while still children or adolescents (MOH RI, 2005).

**Objective:** To overview of adolescent knowledge about the effects of smoking on male reproductive health at SMK 3 Yogyakarta 2013.

**Methods:** This study used a descriptive method. Population of this study was student of class X at SMK 3 Yogyakarta. The sampling method is by using purposive sampling. This analysis used descriptive percent.

**Results:** From the results of the descriptive analysis of the percentage, obtained mostly students with knowledge about the adverse effects of cigarette enough, as many as 41 respondents (47.1%), understanding and kind enough cigarettes, as many as 44 respondents (50.6%), content of cigarettes either, as many as 41 respondents (47.1%), the dangers of smoking to reproductive health enough, as many as 35 respondents (40.2%).

**Conclusion:** Most of the students with knowledge about the side effects enough cigarettes, as many as 41 respondents (47.1%), understanding and kind enough cigarettes, as many as 44 respondents (50.6%), content of cigarettes either, as many as 41 respondents (47.1%), the dangers of smoking to reproductive health enough, as many as 35 respondents (40.2%).

**Keywords:** Knowledge, Smoking Effects On Reproductive Health

---

<sup>1</sup> Midwifery Students DIII Kebidanan STIKES A. Yani Yogyakarta

<sup>2</sup> Lecturer In STIKES A. Yani Yogyakarta

<sup>3</sup> Lecturer In STIKES A. Yani Yogyakarta