

GAMBARAN MOBILISASI IBU *POST* SECTIO SAESAREA DI RUMAH SAKIT PKU MUHAMMADIYAH BANTUL YOGYAKARTA

INTISARI

Gandes Sriratna Wulan¹, Silvia Ari Agustina²

Latar Belakang : Angka sectio saesarea di Indonesia pada tahun 2006 sampai dengan 2012 rata-rata kejadian sectio saesarea meningkat menjadi sebesar 12% (WHO, 2014). Mobilisasi *post* sectio saesarea adalah suatu pergerakan, posisi atau adanya kegiatan yang dilakukan ibu setelah beberapa jam melahirkan dengan persalinan *caesarea*. Dampak keterlambatan mobilisasi dini *post* sectio saesarea adalah terjadi peningkatan suhu tubuh sehingga sisa darah menyebabkan infeksi, kontraksi uterus tidak baik menyebabkan terjadinya perdarahan. Rumah Sakit PKU Muhammadiyah Bantul, Yogyakarta, merupakan rumah sakit swasta kelas B dimana terdapat mobilisasi dini ibu *post* section saesarea yang sebagian ibu belum baik dengan mobilisasi dini *post* section saesarea

Tujuan : Untuk mengetahui gambaran mobilisasi ibu *post* Sectio saesarea di Rumah Sakit PKU Muhammadiyah Bantul, Yogyakarta.

Metode Penelitian : Penelitian ini menggunakan metode *deskriptif kuantitatif*. Populasi yang digunakan 26 pasien *post* section saesarea dengan metode observasional. Teknik sampel *total sampling*. Analisis data univariat dengan persentase

Hasil : mobilisasi dini ibu *post* sectio saesarea hari ke 1 dengan kategori tidak baik (30,8%), hari ke 2 dengan kategori tidak baik (26,9%), hari ke 3 dengan kategori tidak baik (30,8%)

Kesimpulan : Terdapat ibu dengan mobilisasi ibu *post* sectio saesarea kategori tidak baik (34,6%).

Kata kunci : Post, Sectio Saesarea, Mobilisasi dini

¹ Mahasiswa DIII Kebidanan STIKES A. Yani Yogyakarta

² Penguji STIKES A. Yani Yogyakarta

**DESCRIPTION OF MOBILIZATION SECTIO CAESAREA POST
MOM IN HOSPITAL PKU MUHAMMADIYAH
BANTUL YOGYAKARTA**

ABSTRACT

Gandes Sriratna Wulan¹, Silvia Ari Agustina²

Background: Saesarea sectio prevalence in Indonesia in 2006 to 2012 the average incidence sectio saesarea increased to 12% (WHO, 2014). Mobilization post sectio saesarea is a movement, position or the activities undertaken after a few hours of giving birth mothers with childbirth caesarea. The impact of delays in post sectio saesarea early mobilization is an increase in body temperature so that the rest of the blood to cause infection, uterine contraction is not good cause bleeding. PKU Muhammadiyah Hospital in Bantul, Yogyakarta, is a class B private hospitals where there are early mobilization mother saesarea post section that most mothers are not good with early mobilization post section saesarea

Objective: To determine the capital mobilization picture post Sectio saesarea at PKU Muhammadiyah Hospital in Bantul, Yogyakarta.

Methods: This study used quantitative descriptive method. The population of 26 patients with post section saesarea with the observational method. Engineering samples total sampling. Univariate analysis of the data by the percentage

Results: early mobilization mother post sectio saesarea day 1 with no good category (30.8%), day 2 with category not good (26.9%), days to 3dengan not good category (30.8%)

Conclusion: There is a mother with mobilization mother post sectio saesarea not good category (34.6%).

Keywords : Post , Sectio Caesarea, Early Mobilization

¹ Midwifery Students DIII Kebidanan STIKES A. Yani Yogyakarta

² Lecturer In STIKES A. Yani Yogyakarta