

PREVALENSI KEJADIAN ANEMIA PADA IBU HAMIL TRIMESTER III DI RSUD PANEMBAHAN SENOPATI BANTUL YOGYAKARTA

Siti Rochani¹ Nur Rahmawati Sholihah²

INTISARI

Latar Belakang: Prevalensi kejadian anemia menurut (SKRT) sebanyak 50,5% pada tahun 2004, angka anemia pada ibu hamil di provinsi DIY pada tahun 2011 sebesar 18,90%. Kondisi di kabupaten / kota angka anemia ibu hamil tertinggi adalah kabupaten bantul sebanyak 25,60% (DinKes Prov DIY, 2012). Berdasarkan studi pendahuluan data ibu hamil terdapat 1.852 semua ibu hamil dari trimester I-III, dan terdapat 371 ibu hamil trimester III yang mengalami anemia selama tiga tahun.

Tujuan: Mengetahui prevalensi kejadian anemia pada ibu hamil, mengetahui kadar Hb pada ibu hamil trimester III di RSUD Panembahan Senopati Bantul Yogyakarta dengan kategori Anemia dan Tidak Anemia.

Metode: Penelitian ini merupakan jenis penelitian survey diskriptif penelitian ini dilakukan di RSUD Panembahan Senopati Bantul Yogyakarta pada bulan Juni 2013. Sampel dalam penelitian ini sebanyak 97 ibu hamil trimester III. Instrument dalam penelitian ini adalah data sekunder yang diperoleh dari hasil observasi Rekam Medis.

Hasil Penelitian: Hasil penelitian menunjukkan bahwa mayoritas ibu hamil mengalami anemia dengan jumlah 103 responden (51.3%). Ibu hamil mengalami anemia dengan karakteristik usia yang berumur 20-35 tahun sebanyak 61 (62,9%), karakteristik pendidikan yang berpendidikan dasar sebanyak 58 (59,8%), karakteristik pekerjaan yang tidak bekerja sebanyak 75 (77,3%), karakteristik paritas yang multipara sebanyak 41 (42,3%).

Kesimpulan: Mayoritas ibu hamil mengalami anemia di RSUD Panembahan Senopati Bantul dengan jumlah 103 responden (51.3%)

Saran: pelayanan rumah sakit yang perlu peningkatan, terutama pada petugas kesehatan terutama bidan yang harus lebih mewaspadai dan mengantisipasi kejadian anemia pada ibu hamil, dengan pemantauan pengecekan kadar Hb.

Kata Kunci : Prevalensi, Anemia, Ibu hamil, Trimester III

Pustaka : 38 pustaka (26 buku, 4 website, 2 jurnal, 6 dari KTI)

Halaman : Halaman Judul-Daftar lampiran (i - xiv) ,BAB I_V (1 - 48)

¹ Mahasiswi STIKES A. Yani Yogyakarta

² Dosen STIKES A. Yani Yogyakarta

**PREVALENCE OF ANEMIA EVENTS IN TRIMESTER III PREGNANT
WOMEN IN RSUD PANEMBAHAN SENOPATI BANTUL
YOGYAKARTA**

Siti Rochani¹ Nur Rahmawati Sholihah²

ABSTRACT

Background: The prevalence of anemia according to (SKRT Survey) as much as 50.5% in 2004, the rate of anemia in pregnant women in the province of Yogyakarta in 2011 was 18.90%. Conditions in the district/city, the highest of anemia rate of pregnant women in Bantul district as much as 25.60% (DIY Provincial Health Office, 2012). Building on preface of study data pregnant women can 1.852 all pregnant women from trimester I-III and can 371 pregnant women trimester III experience anemia during three year.

Objective: To determine the prevalence of anemia in pregnant women, knowing Hb levels in the third trimester pregnant women in RSUD Panembahan Senopati Bantul Yogyakarta with Anemia and not Anemia categories.

Methods: This research is a descriptive survey research study was conducted in RSUD Panembahan Senopati Bantul Yogyakarta on June 2013. The samples in this study were 97 third trimester pregnant women. Instrument in this study is a secondary data obtained from the observation of the Medical Record.

Results: The results showed that the majority of pregnant women are anemic as many as 103 respondents (51.3%). Pregnant women suffer from anemia with characteristic ages of 20-35 years old as many as 61 (62.9%), education characteristics of primary education were 58 people (59.8%), job characteristics that do not work as many as 75 people (77.3%), parity multiparous characteristics as many as 41 people (42.3%).

Conclusion: The majority of pregnant women are anemic in RSUD Panembahan Senopati Bantul with number 103 respondents (51.3%).

Suggestion: hospital services that need to be improved, especially in health care workers, especially midwives should be aware of and anticipate the incidence of anemia in pregnant women, with Hb monitoring checks.

Keywords: Prevalence, anemia, pregnant women, Trimester III.

References: 38 libraries (26 the book, 4 the website, 2 the journal, 6 KTI)

Pages: pages from title until appendix (i -xiv), Chapter I – V (1-48)

¹High student of STIKES A.Yani Yogyakarta

²Lecturer of STIKES A. Yani Yogyakarta