

**HUBUNGAN PEMBERIAN ASI EKSKLUSIF DENGAN FREKUENSI
KEJADIAN SAKIT PADA BAYI USIA 6-12 BULAN
DI PUSKESMAS BANGUNTAPAN II BANTUL
TAHUN 2012**

Zulhijjah¹, Asri Hidayat², Budi Rahayu³

INTISARI

Latar Belakang : Peningkatan sistem imunitas pada bayi dilihat dari frekuensi bayi yang mengalami sakit. Adapun faktor yang dapat menyebabkan frekuensi kejadian sakit menurut H.L Blum adalah *Agen*, *Host* dan *Environment*. Pada kelompok *Agen*, terdapat faktor nutrisi/gizi. Dalam keadaan gizi baik, tubuh mempunyai kemampuan cukup untuk mempertahankan diri terhadap penyakit, namun jika keadaan gizi yg buruk maka kekebalan tubuh menurun dan rentan terhadap penyakit. Gizi yang baik dan tidak diragukan lagi adalah ASI. Laporan kabupaten/kota menunjukkan bahwa tahun 2009 terjadi sebanyak 380 bayi meninggal dunia disebabkan oleh berbagai sebab dan salah satunya karena tidak diberikan ASI (Depkes, 2010).

Tujuan Penelitian : Diketuinya hubungan pemberian ASI eksklusif dengan frekuensi kejadian sakit pada bayi umur 6-12 bulan di Puskesmas Banguntapan II Bantul tahun 2012

Metode Penelitian : Populasi dari penelitian ini adalah semua ibu menyusui yang mempunyai bayi umur 6-12 bulan yang ada di wilayah Puskesmas Banguntapan II sebanyak 35 dari rata-rata kunjungan bayi bulan Januari-Februari 2012, sedangkan sampel yang digunakan dalam penelitian ini adalah 35 responden yang mempunyai bayi umur 6-12 bulan dengan menggunakan metode Total sampling. Analisis ini digunakan terhadap dua variabel yang diduga berhubungan atau berkorelasi dengan menggunakan uji statistik chi-square (X^2) dengan tingkat kepercayaan 95% dan P (signifikan <0,05)

Hasil penelitian : Didapatkan 15 bayi yang sering sakit (sakit >3 kali dalam 6 bulan) yang terdapat pada kelompok bayi yang tidak diberikan ASI eksklusif dan terdapat 1 bayi yang sering sakit (sakit >3 kali dalam 6 bulan) pada kelompok yang diberikan ASI eksklusif.

Kesimpulan : Terdapat hubungan yang bermakna antara pemberian ASI eksklusif dengan frekuensi kejadian sakit pada bayi umur 6-12 bulan di Puskesmas Banguntapan II Bantul tahun 2012

Kata Kunci: Pemberian ASI eksklusif, Frekuensi kejadian sakit

¹ Mahasiswa Diploma III Kebidanan STIKES A. Yani Yogyakarta ²

Dosen STIKES AISYIAH Yogyakarta

³ Dosen STIKES A. Yani Yogyakarta

**THE CORELATION OF GRANTING EXCLUSIVE ASI WITH FREQUENCY
EVENTS IN SICK BABY AGE 6-12 MONTHS IN PUSKESMAS
BANGUNTAPAN II BANTUL
YEAR 2012**

Zulhijjah¹, Asri Hidayat², Budi Rahayu³

ABSTRACT

Background: The increasing of baby immunity system shown from frekuensi of sickness baby. According to H. L Blum said the factors causes frequency of sickness happens are agen, host, and environment. In agen cathegory, there is nutrition factor. In good nutrition the body has an ability to survive from threat disease effect, but if bad nutrition, the invulnerable body decrease and susceptible to disease. The good and bad nutrition which is doubtful is AS. Report district / city in 2009 showed that papproximately 380 babies died due to various reasons and one of them because of not to grant ASI for babies (MOH, 2010).

Research objectives: Knowledgeable breastfeeding corelation with the frequency of occurrence eksklusif pain in babies aged 6 to 12 months at the health center in 2012 Banguntapan II Bantul

Research Methods: The population of this study were all suckle mothers who have babies aged 6 to 12 months in Banguntapan II health center were 35 of the average children visits in January-February 2012, while the samples used in this study were 35 respondents who have babies aged 6-12 months with a total sampling method. The analysis was used against two suspected variables associated or correlated using chi-square statistical test (X²) with 95% confidence level and P (significant <0.05)

Results of the study: 15 the babies found frequent pain (pain > 3 times in 6 months) contained in the group of babies not exclusively breast fed infants and there is a frequent pain (pain > 3 times in 6 months) in the group given exclusive breastfeeding .

Conclusion: There was a significant association between breastfeeding eksklusif or granting ASI with the frequency of occurrence of illness in babies aged 6-12 months at the Banguntapan II Bantul health center in 2012

Keywords: Granting exclusive, frequency events in sick

¹ ~~Student Diploma Midwifery~~ STIKES A. Yani Yogyakarta

² Lecturer STIKES AISYIYAH Yogyakarta

³ Lecturer STIKES A. Yani Yogyakarta