

**STUDI KASUS : ASUHAN KEBIDANAN NEONATUS PADA BAYI NY. S
USIA 3 HARI DENGAN IKTERUS FISILOGIS DI KLINIK PRATAMA
DELIMA SLEMAN, YOGYAKARTA**

Ayu Ramadhani¹, Bdn. Ratih Kumoro Jati, S.SiT.,M.Kes²

Email : ramadhaniayu17@gmail.com

RINGKASAN

Latar Belakang: Ikterus fisiologis merupakan kondisi yang umum terjadi pada neonatus, terutama dalam minggu pertama kehidupan, yang ditandai dengan perubahan warna kuning pada kulit dan sklera mata akibat peningkatan kadar bilirubin tidak terkonjugasi. **Tujuan :** untuk memberikan gambaran asuhan kebidanan pada neonatus dengan ikterus fisiologis di Klinik Pratama Delima, Sleman, Yogyakarta. Subjek dalam studi ini adalah bayi Ny. S yang berusia 3 hari dan menunjukkan tanda-tanda ikterus ringan. **Metode :** Desain penelitian ini menggunakan penelitian observasional deskriptif yang menggunakan pendekatan asuhan kebidanan berkelanjutan mulai dari pengkajian, diagnosa, perencanaan, pelaksanaan, hingga evaluasi. **Hasil Penelitian :** menunjukkan bahwa intervensi berupa edukasi menyusui efektif dalam membantu penurunan kadar bilirubin secara alami, dengan pemantauan ketat terhadap kondisi bayi. **Kesimpulan** dari studi ini menegaskan pentingnya deteksi dini dan penatalaksanaan yang tepat terhadap ikterus fisiologis untuk mencegah komplikasi lebih lanjut.

Kata Kunci : Asuhan Kebidanan, Ikterus Fisiologis, Neonatus

¹Mahasiswa Pendidikan Profesi Bidan Universitas Jenderal Achmad Yani Yogyakarta

²Dosen Pendidikan Profesi Bidan Universitas Jenderal Achmad Yani Yogyakarta

**STUDY : NEONATAL MIDWIFERY CARE FOR 3-DAY OLD BABY MRS. S
WITH PHYSIOLOGICAL JAUNDICE AT DELIMA PRATAMA CLINIC,
SLEMAN, YOGYAKARTA**

Ayu Ramadhani ¹, Bdn . Ratih Kumoro Jati, S.SiT .,M.Kes ²

Email: ramadhaniayu17@gmail.com

ABSTRAK

Background Behind : Jaundice physiological is common conditions occurs in neonates , especially in Sunday First life , which is marked with change color yellowing of the skin and sclera eye consequence improvement bilirubin levels are not conjugated . **Purpose** : For give description care obstetrics in neonates with jaundice physiology in Clinic Primary Pomegranate , Sleman, Yogyakarta. Subject in studies This is Mrs. S's baby is 3 days old and shows signs jaundice light . **Method** : Research design This use study observational descriptive using approach care midwifery sustainable start from assessment , diagnosis , planning , implementation , to evaluation . **Research Results** : show that intervention in the form of education breast-feed effective in help decline bilirubin levels natural , with monitoring strict to condition baby . **Conclusion** from studies This confirm importance detection early and proper management to jaundice physiological For prevent complications more carry on .

Keywords : Care Obstetrics , Jaundice Physiological , Neonate

¹ Professional Education Student General University Midwife Ahmad Yani Yogyakarta

² Professional Education Lecturers General University Midwife Ahmad Yani Yogyakarta