

INTISARI

GAMBARAN PENGETAHUAN IBU *POST PARTUM* TENTANG AMBULASI DINI DI BALAI PENGOBATAN DAN RUMAH BERSALIN BINA SEHAT BANTUL

Ana Amanah,¹ Tyasning Yuni Astuti,² Tri Pitara,³

Latar Belakang: Ambulasi dini adalah aktivitas yang dibutuhkan ibu setelah melahirkan untuk memperlancar sirkulasi darah dan mencegah terjadinya *thrombus* pasca persalinan (Llewellyn dan Jones, 2003). Penyebab langsung angka kematian ibu di Indonesia saat ini meliputi perdarahan (60-70), *toksemia gravidarum* (10-20) dan infeksi atau sepsis (10-20). Infeksi atau sepsis yang menyebabkan besarnya angka kematian ibu tersebut antara lain terjadi pada masa *post partum* (Manuaba, 2001).

Tujuan : Mengetahui gambaran Pengetahuan Ibu *post partum* Tentang ambulasi dini BPRB Bina Sehat Bantul Tahun 2011

Metode Penelitian: Penelitian ini merupakan penelitian survei deskriptif. Penelitian ini menggunakan pendekatan *cross sectional*. *Sample* penelitian adalah Ibu *post partum* yang berjumlah 15 orang. Analisa data menggunakan rumus prosentase dengan skala ordinal.

Hasil Penelitian: Gambaran pengetahuan ibu *post partum* tentang ambulasi dini di BPRB Bina Sehat Bantul dalam kategori baik 8 orang (53,3 %), kategori cukup 5 orang (33.3%), dan kurang (13,3%)

Kesimpulan: Gambaran pengetahuan ibu *post partum* tentang ambulasi dini di BPRB Bina Sehat Bantul dalam kategori baik 53,3 %.

Kata Kunci : Pengetahuan Ibu *post partum*, ambulasi dini

¹ Mahasiswa Diploma III Kebidanan STIKES Achmad Yani Yogyakarta

² Dosen Pembimbing I STIKES Achmad Yani Yogyakarta

³ Dosen Pembimbing II Universitas Muhamadiyah Yogyakarta

ABSTRACT

PICTURE OF POST PARTUM MATERNAL KNOWLEDGE ABOUT EARLY AMBULATION AT BPRB BINA SEHAT BANTUL

Ana Amanah, ¹Tyasning Yuni Astuti, ²Tri Pitara,³

Background: That early ambulation activities required of women after borning to facilitate blood circulation and prevent thrombus postpartum (Llewellyn and Jones, 2003). Direct causes of maternal mortality in Indonesia include hemorrhage current (60-70), toxemia gravidarum (10-20) and infection or sepsis (10-20). Infection or sepsis causes the magnitude of maternal mortality, among others, occurred during the post partum (Manuaba, 2001).

Objectives: Knowing picture Mother Knowledge About ambulate early post partum BPRB Bina Sehat Bantul Year 2011

Methods: This study is a descriptive survey research. This study used cross-sectional approach. Research subjects were post partum mother who numbered 15 people. Analysis of data using the percentage formula with ordinal scales.

Results: Overview of postpartum maternal knowledge about early ambulation in BPRB Bina Sehat Bantul 8 people in either category (53.3%), category quite 5 people (33.3%), and less (13.3%)

Conclusion: Overview of Knowledge post-partum mothers of early ambulation in BPRB Bina Sehat Bantul in either category of 53.3%.

Keywords : Knowledge mother postpartum, early ambulation

¹ Student of Diploma of Midwifery study Programme Achmad Yani Yogyakarta, school of Health Sciences

² Lecturer of Achmad Yani Yogyakarta, School of Health Sciences

³ Lecturer of Muhamadiyah University Yogyakarta