

DAFTAR PUSTAKA

- Ammon, F. J. et al. (2018) ‘Liver stiffness reversibly increases during pregnancy and independently predicts preeclampsia’, *World Journal of Gastroenterology*, 24(38), doi: 10.3748/wjg.v24.i38.4393.
- Armaly, Z. et al. (2018) ‘Preeclampsia: Novel mechanisms and potential therapeutic approaches’, *Frontiers in Physiology*, 9(JUL), doi: 10.3389/fphys.2018.00973.
- Ashton-Cleary, D. T. et al. (2014) ‘Lung Ultrasound Predicts Interstitial Syndrome and’, *British journal of anaesthesia*, 111(4) Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23585400>. diakses pada tanggal 6 januari 2024 pukul 13.00 WIB
- Damayanti, V. S., Dasima, A. and Nur, A. F. (2020) ‘Mutu pelayanan kebidanan, ta 2019/2020 risiko plasenta ringan terhadap bblr’.
- Denantika, O., Serudji, J. and Revilla, G. (2015) ‘Hubungan Status Gravida dan Usia Ibu terhadap Kejadian Preeklampsia di RSUP Dr. M. Djamil Padang Tahun 2012-2013’, *Jurnal Kesehatan Andalas*, 4(1), pp. 212–217. doi: 10.25077/jka.v4i1.224.
- Dinkes Jatim (2019) ‘Profil Kesehatan Jawa Timur 2018’, Dinas Kesehatan Provinsi Jawa Timur, p. 100. 29-33
- Fernández Alba, J. J. et al. (2018) ‘Sobrepeso y obesidad como factores de riesgo de los estados hipertensivos del embarazo: estudio de cohortes retrospectivo’, *Nutrición Hospitalaria*, 35(4), p. 874. doi: 10.20960/nh.1702.
- Filipek, A. and Jurewicz, E. (2018) ‘Preeklampsja – choroba kobiet w ciąży’, *Postepy biochemii*, 64(4), pp. 232–229. doi: 10.18388/pb.2018_146.
- Geraldo, J. et al. (2017) ‘Preeclampsia: Definitions of Hypertensive States during Pregnancy Pathophysiological Foundations’, *Rev Bras Ginecol Obstet*, 39, pp. 496–512. Available at: <https://pubmed.ncbi.nlm.nih.gov/28793357/>. di akses pada tanggal 16 mei 2024 pukul 17.30
- Graham, G. R. (1962) ‘Textbook of Human Physiology’, *Bmj*, 1(5277), pp. 531–532. doi: 10.1136/bmj.1.5277.531-b.

- Han, L. et al. (2014) ‘Blood coagulation parameters and platelet indices: Changes in normal and preeclamptic pregnancies and predictive values for preeclampsia’, PLoS ONE, 9(12), pp. 1–14. doi: 10.1371/journal.pone.0114488.
- IDI (2017) ‘Panduan Praktik Klinis Bagi Dokter di Fasilitas Pelayanan Kesehatan Primer’, Menteri Kesehatan Republik Indonesia, pp. 162, 364.
- Lederer, W. et al. (2020) ‘Cerebrospinal beta-amyloid peptides(1-40) and (1-42) in severe preeclampsia and HELLP syndrome – a pilot study’, Scientific Reports, 10(1), pp. 1–7. doi: 10.1038/s41598-020-62805-2. 21–24 (sFlt1) may contribute to endothelial dysfunction, hypertension, and proteinuria in preeclampsia’, Journal of Clinical Investigation, 111(5), pp. 649–658. doi: 10.1172/jci200317189.
- Musa, J. et al. (2018) ‘Incidence and risk factors for pre-eclampsia in Jos Nigeria’, 18(3), pp. 584–595.
- Nzelu, D. et al. (2018) ‘Chronic hypertension: first-trimester blood pressure control and likelihood of severe hypertension, preeclampsia, and small for gestational age’, American Journal of Obstetrics and Gynecology, 218(3), pp. 337.e1–337.e7. doi: 10.1016/j.ajog.2017.12.235.
- Phipps, E. A. et al. (2019) ‘Pre-eclampsia: pathogenesis, novel diagnostics and therapies’, Nature Reviews Nephrology, 15(5), pp. 275–289. doi: 10.1038/s41581-019-0119-6.
- Preeclampsia, S., Sulistyowati, S. and K, N. H. (2015) ‘Ekspresi Human Leukocyte Antigen – C di Trofoblas dan Natural Killer Cell di Desidua pada Preeklampsia Berat Expression of Human Leukocyte Antigen-C in Trophoblast and Natural Killer Cell in Decidua on’, 29(1), pp. 59–63.
- Pribadi, A., Mose, J.C., Anwar, A. D. 2015. Kehamilan Risiko Tinggi. Jakarta ; CV Sagung Seto.
- Rana, S. et al. (2019) ‘Preeclampsia: Pathophysiology, Challenges, and Perspectives’, Circulation Research, 124(7), pp. 1094–1112. doi: 10.1161/CIRCRESAHA.118.313276.
- Reddy, M. et al. (2019) ‘Evaluation of Cardiac Function in Women With a History of Preeclampsia: A Systematic Review and Meta-Analysis’, Journal of the American Heart Association, 8(22). doi: 10.1161/JAHA.119.013545.
- Safitri, A. and Kesehatan Kendari, P. (2017) ‘Prosiding Seminar Nasional

Publikasi Hasil-Hasil Penelitian dan Pengabdian Masyarakat “Implementasi Penelitian dan Pengabdian Masyarakat Untuk Peningkatan Kekayaan Intelektual” Hubungan Graviditas Dengan Kejadian Preeklampsia Di Rumah Sakit Umum Dewi Sart’, Hubungan Graviditas Dengan Kejadian Preeklampsia Di Rumah Sakit Umum Dewi Sartika Kendari Provinsi Sulawesi Tenggara Tahun 2016, 4(September), pp. 2010–2014. Available at:<https://jurnal.unimus.ac.id/index.php/psn12012010/article/download/2837/2757>. 40-42 diakses pada tanggal 16 februari 2024 pukul 19.30 WIB

Sari, T. N. I. (2016) ‘Fenomena Pernikahan Usia Muda di Masyarakat Madura (Studi Kasus di Desa Serabi Barat Kecamatan Modung, Kabupaten Bangkalan)’, Skripsi, pp.

Staff, A. C. (2019) ‘The two-stage placental model of preeclampsia: An update’, Journal of Reproductive Immunology, 134–135(June), pp. 1–10. doi: 10.1016/j.jri.2019.07.004. Usselman, C. W. et al. (2020) ‘A recent history of preeclampsia is associated with elevated central pulse wave velocity and muscle sympathetic outflow’, American journal of physiology. Heart and circulatory physiology, 318(3), pp. H581–H589. doi: 10.1152/ajpheart.00578.2019.

Vidal, J. D. (2017) ‘The Impact of Age on the Female Reproductive System’, Toxicologic Pathology, 45(1), pp. 206–215. doi: 10.1177/0192623316673754.

Weissgerber, T. L. and Mudd, L. M. (2015) ‘Preeclampsia and Diabetes’, CurrentDiabetes Reports, 15(3), pp. 1–16. doi: 10.1007/s11892-015-0579-4. 1-3

Wiknjosastro, Hanifa, 2010. Ilmu Kandungan. Jakarta. Yayasan Bina Pustaka Sarwono.