

**PENERAPAN INTERVENSI TERAPI OKUPASI MENGGAMBAR
DALAM ASUHAN KEPERAWATAN PADA PASIEN SKIZOFRENIA
DENGAN HALUSINASI DI WILAYAH KERJA PUSKESMAS
BERBAH SLEMAN YOGYAKARTA**

Ingel Ratu Oktaviani¹ Rizqi Wahyu Hidayati² Kezia Diah Purnama S³
Email : ingelratu13@gmail.com

INTISARI

Latar Belakang: Skizofrenia merupakan gangguan mental yang serius dan kronis yang ditandai dengan gangguan persepsi, pikiran, dan emosi. Pada tahun 2023, prevalensi skizofrenia di Indonesia dilaporkan sebesar 6,7 per 1.000 rumah tangga. Prevalensi skizofrenia tertinggi di Indonesia ditemukan di Daerah Istimewa Yogyakarta (DIY). Skizofrenia berdampak signifikan pada berbagai aspek kehidupan baik secara mental, fisik, sosial dan individu.

Tujuan: Untuk memahami proses dan hasil penerapan terapi okupasi menggambar dalam asuhan keperawatan pada klien dengan skizofrenia di wilayah kerja puskesmas Berbah Sleman Yogyakarta

Metode: Penulis menggunakan Teknik pengumpulan data dengan studi literatur, anamnesis, dan observasi dengan keterlibatan langsung dalam pemberian asuhan keperawatan menggunakan terapi okupasi menggambar pada klien skizofrenia. Observasi dilakukan dengan memantau kondisi pasien sebelum dan sesudah terapi diberikan.

Hasil: Berdasarkan hasil *pre-test* dan *post-test* yang didapatkan selama 3 kali pertemuan, kedua pasien mengalami penurunan gejala skizofrenia.

Kesimpulan: Terdapat pengaruh terapi okupasi menggambar pada pasien skizofrenia

Kata Kunci : Terapi Okupasi, Menggambar, Skizofrenia

¹Mahasiswa Program Studi Pendidikan Profesi Ners Universitas Jenderal Achmad Yani Yogyakarta

²Dosen Keperawatan Universitas Jenderal Achmad Yani Yogyakarta

³Perawat Puskesmas Berbah Sleman Yogyakarta

**THE APPLICATION OCCUPATIONAL DRAWING THERAPY IN
NURSING CARE FOR SCHIZOPHRENIA PATIENTS WITH
HALLUCINATIONS IN THE WORKING AREA OF BERBAH SLEMAN
PUBLIC HEALTH CENTER, YOGYAKARTA**

Ingel Ratu Oktaviani¹ Rizqi Wahyu Hidayati² Kezia Diah Purnama S³
Email : ingelratu13@gmail.com

ABSTRACT

Background: Schizophrenia is a serious and chronic mental disorder characterized by disturbances in perception, thought, and emotion. In 2023, the prevalence of schizophrenia in Indonesia was reported to be 6.7 per 1,000 households. The highest prevalence of schizophrenia in Indonesia was found in the Special Region of Yogyakarta (DIY). Schizophrenia has a significant impact on various aspects of life, both mentally, physically, socially, and individually.

Objective: To understand the process and results of implementing occupational drawing therapy in nursing care for clients with schizophrenia in the Berbah Sleman Yogyakarta Health Center work area

Method: The author uses data collection techniques with literature studies, anamnesis, and observation with direct involvement in providing nursing care using occupational drawing therapy for clients with schizophrenia. Observations are made by monitoring the patient's condition before and after treatment is given.

Results: Based on the pre-test and post-test results obtained during 3 meetings, both patients experienced a decrease in schizophrenia symptoms.

Conclusion: There is an effect of occupational therapy drawing on schizophrenia patients

Keywords: Occupational Therapy, Drawing, Schizophrenia

¹Student of Nursing Professional Education Study Program, Jenderal Achmad Yani University, Yogyakarta

²Nursing lecturer at Jenderal Achmad Yani University, Yogyakarta

³Berbah Nurse Health Center, Yogyakarta