

HUBUNGAN PARITAS DENGAN RENCANA PEMILIHAN TEMPAT PERSALINAN OLEH IBU HAMIL DI PUSKESMAS SEMAWUNG DALEMAN KUTOARJO PURWOREJO

INTI SARI

Sri Winarni¹, Supiyati², Endang Suprapti³

Latar belakang: AKI di Indonesia masih tinggi dibandingkan dengan negara ASEAN lainnya. Menurut data Survei Demografi Kesehatan Indonesia (SDKI) 2007, AKI 228 per 100.000 kelahiran hidup. Dengan AKI 228/100.000 KH ada 9.774 ibu meninggal per tahun atau 1 ibu meninggal setiap jam oleh sebab yang berkaitan dengan kehamilan, persalinan dan nifas (Depkes RI, 2009). Manuaba (1999), Persalinan adalah proses alami yang akan berlangsung dengan sendirinya, tetapi persalinan pada manusia setiap saat terancam penyulit yang membahayakan ibu maupun janinnya sehingga memerlukan pengawasan, pertolongan, dan pelayanan dengan fasilitas yang memadai. *Paritas* adalah salah satu faktor resiko kehamilan. Dengan adanya faktor resiko kehamilan seorang ibu hamil memerlukan perencanaan persalinan yang aman dan pencegahan komplikasi saat melahirkan di tempat fasilitas kesehatan, sehingga diharapkan tidak terjadi kesakitan dan kematian ibu dan bayi yang dilahirkan sehat dan selamat.

Tujuan Penelitian: Menganalisis hubungan *paritas* dengan rencana pemilihan tempat persalinan oleh ibu hamil di Puskesmas Semawung Daleman Kutoarjo Purworejo.

Metode Penelitian: Penelitian ini menggunakan metode *deskriptif analitik* dengan pendekatan waktu *cross sectional*. Teknik pengambilan sampel adalah *Purposive Sampling* dengan jumlah sampel 35 responden dari ibu hamil yang berkunjung ke Puskesmas Semawung Daleman. Teknik pengambilan data menggunakan checklist. Teknik analisa data menggunakan korelasi *Kendall Tau* (τ).

Hasil Penelitian: *Paritas* ibu hamil sebagian besar *multigravida* 19 responden (54,3%), ibu hamil memilih rencana tempat persalinan tertinggi di BPM 26 responden (74,3%). Dari hasil perhitungan korelasi *Kendall Tau* (τ) diperoleh hasil signifikansi $0,000 < 0,05$ dengan $\tau = 0,568$.

Kesimpulan: Ada hubungan yang signifikan antara *paritas* dengan rencana pemilihan tempat persalinan oleh ibu hamil di Puskesmas Semawung Daleman Kutoarjo Purworejo. **Saran** bagi ibu hamil diharapkan secara teratur datang ke pelayanan kesehatan agar dapat menerima informasi mengenai kesehatan terkait dengan persalinannya dan Bidan pelaksana program KIA di Puskesmas lebih meningkatkan jangkauan serta mutu pelayanan KIA secara efektif dan efisien.

Kata kunci: Ibu hamil, paritas, rencana pemilihan tempat persalinan.

¹Mahasiswa Prodi D III Kebidanan STIKES A.Yani Yogyakarta

²Dosen Prodi D III kebidanan STIKES A.Yani Yogyakarta

³Dosen Prodi D III kebidanan STIKES A.Yani Yogyakarta

³Dosen Prodi D III kebidanan STIKES A.Yani Yogyakarta

**PARITY RELATIONSHIP WITH THE SELECTION PLAN DELIVERY
BY PREGNANT WOMEN IN PUBLIC HEALTH CENTER
SEMAWUNG DALEMAN KUTOARJO PURWOREJO**

ABSTRACT

Sri Winarni¹, Supiyati², Endang Suprapti³

Background : MMR in Indonesia is still high compared to other ASEAN countries. According to data from Indonesia Demographic Health Survey (IDHS) 2007, AKI 228 per 100,000 live births. With AKI 228/100.000 KH's mother died there 9774 per year or 1 mother dying every hour because of associated with pregnancy, childbirth and postpartum (MOH, 2009). Manuaba (1999), Childbirth is a natural process that will take place by itself, but human labor in any time threatened complications that endanger the mother and fetus and require supervision, assistance, and services with adequate facilities. Parity is a risk factor for pregnancy. With the pregnancy a risk factor for pregnant women need to plan safe motherhood and prevention of complications while giving birth at a health facility, so it is not expected to occur maternal morbidity and mortality, and babies born healthy and survived.

Purpose : To analyze the relationship parity with place election plants by pregnant women in labor public health center Semawung Daleman Kutoarjo Purworejo.

Method : This research uses deskriptive analitical method with the cross sectional approach. Sampling technicue with a purposive sampling. Sampel used 35 respondents from a sample of pregnant women who visited a public health center Semawung Daleman. Data retrieval technique using Kendall Tau (τ) correlation.

Results : Most of the parity multigravida pregnant women 19 respondents (54,3%), pregnant women choose the plan places the highest birth midwife independent practice 26 respondents (74,3%). From the calculation resulth Kendall Tau (τ) correlation significance of the resulth obtained $0.000 < 0.05$ with $\tau = 0.568$.

Conclusion : There is a significant relationship between parity with the site selection plan delivery in public health center Semawung Daleman Kutoarjo Purworejo.

Suggestions: pregnant women are expected to regularly come to the health service in order to receive information about health related to birth later on. Midwives in health centers implementing MCH program in order to further improve the range and quality of MCH services effectively and efficiently

Keywords: Pregnant women, the parity, the selection of the delivery plan.

¹ Student STIKES A.Yani Yogyakarta

² Lecturer STIKES A.Yani Yogyakarta

³ Lecturer STIKES A. Yani Yogyakarta