

**ASUHAN KEBIDANAN BERKESINAMBUNGAN PADA NY. P UMUR 32
TAHUN MULTIGRAVIDA DI KLINIK PRATAMA AMANDA
KABUPATEN SLEMAN YOGYAKARTA**

Medelin Liana Makatita¹, Alfie Ardiana Sari²

RINGKASAN

Latar Belakang: Anemia pada ibu hamil adalah suatu kondisi jumlah dan ukuran sel darah merah dan kadar (*Hemoglobin*) di bawah batas normal akan mengakibatkan terganggunya distribusi oksigen oleh darah ke seluruh tubuh, beresiko terhadap terjadinya hambatan pertumbuhan janin sehingga bayi lahir dengan berat badan lahir rendah (BBLR), dan perdarahan pada saat persalinan. Selain itu, letak sungsang juga merupakan salah satu masalah dalam kehamilan yang beresiko terhadap prematuritas, oligohidramnion dan plasenta previa. Oleh karena itu diperlukan asuhan yang berkesinambungan (*Continuity Of Care*) dalam kebidanan adalah asuhan atau pemeriksaan menyeluruh yang memantau kondisi perkembangan ibu dari kehamilan, persalinan, nifas, neonatus, bayi baru lahir dan keluarga berencana.

Tujuan: Memberikan asuhan kebidanan secara berkesinambungan pada ibu hamil, bersalin, nifas, bayi baru lahir, neonatus dan keluarga berencana sesuai dengan standar pelayanan kebidanan.

Hasil: Asuhan yang diberikan penulis untuk menangani letak sungsang yaitu posisi knee chest dan asuhan untuk meningkatkan *Hemoglobin* Ny.P dengan asuhan non farmakologi yaitu buah naga yang mengandung zat besi. selain itu, asuhan farmakologi yaitu konsumsi TTD 2 kali sehari dengan dosis 60 mg. Ny.P melahirkan spontan di Klinik Pratama Amanda tanggal 20 April 2024 pukul 11.35 WIB. Asuhan pada ibu nifas dilakukan sebanyak 4 kali dan asuhan bayi baru lahir sebanyak 4 kali kunjungan. Ibu memilih untuk menggunakan KB Pil Progestin.

Kesimpulan: Setelah dilakukan Asuhan Kebidanan Berkelanjutan sejak kehamilan, persalinan, neonatus, bayi baru lahir dan masa nifas, dapat disimpulkan bahwa keadaan ibu dan bayi sehat, bayi mendapat ASI Eksklusif, dan Ny.P sudah menjadi Akseptor baru KB Pil Progestin

Kata Kunci: Asuhan Berkesinambungan, Letak Sungsang, Anemia

¹Mahasiswa Profesi Kebidanan Universitas Jendral Achmad Yani Yogyakarta

²Dosen Profesi Kebidanan Universitas Jendral Achmad Yani Yogyakarta

**SUSTAINABLE MIDWIFERY CARE IN NY. P AGE 32 YEARS
MULTIGRAVIDA AT PRATAMA AMANDA CLINIC SLEMAN
DISTRICT YOGYAKARTA**

Medelin Liana Makatita¹, Alfie Ardiana Sari²

ABSTRAK

Background: Anemia in pregnant women is a condition where the number and size of red blood cells and levels (Hemoglobin) are below normal limits which will result in disruption of the distribution of oxygen by the blood throughout the body, risking fetal growth restriction so that the baby is born with a low birth weight (LBW), and bleeding during delivery. Apart from that, the breech position is also a problem in pregnancy which carries a risk of prematurity, oligohydramnios and placenta previa. Therefore, continuous care (Continuity of Care) is needed in midwifery, namely comprehensive care or examinations that monitor the condition of the mother's development from pregnancy, childbirth, postpartum, neonate, newborn and family planning.

Objective: To provide continuous midwifery care to pregnant, maternity, postpartum, newborn babies, neonates and family planning in accordance with midwifery service standards.

Results: The care given by the author to handle the breech position is the knee chest position and care to increase Mrs. P's hemoglobin with non-pharmacological care, namely dragon fruit which contains iron. Apart from that, pharmacological care is taking TTD twice a day at a dose of 60 mg. Mrs. P gave birth spontaneously at the Amanda Pratama Clinic on April 20 2024 at 11.35 WIB. Care for postpartum mothers is carried out 4 times and care for newborns is carried out 4 times. Mother chose to use progestin birth control pills.

Conclusion: After carrying out continuous midwifery care from pregnancy, childbirth, neonates, newborns and the postpartum period, it can be concluded that the condition of the mother and baby is healthy, the baby is exclusively breastfed, and Mrs. P has become a new acceptor of the Progestin Pill.

Keywords: Continuous Care, Breech Position, Anemia

¹Midwifery Profession Student, Jendral Achmad Yani University, Yogyakarta

²Lecturer in the Midwifery Profession, Jendral Achmad Yani University, Yogyakarta