

ABSTRAK

HUBUNGAN ANTARA KETEPATAN PEMBERIAN MAKANAN PENDAMPING ASI (MP-ASI) DENGAN KENAIKAN BERAT BADAN PADA USIA 6-24 BULAN DI POSYANDU MINOMARTANI SLEMAN YOGYAKARTA

Asri Budiarti,¹ Esti Nugraheny,² Imroatul Azizah,³

Latar Belakang: Berdasarkan berbagai penelitian diketahui bahwa 30-50 % bayi berusia 6-12 bulan menunjukkan pertumbuhan dan perkembangan yang kurang memuaskan, dan menderita kekurangan sumber protein. pemberian makanan pendamping dengan jenis yang bervariasi perlu ditingkatkan agar peranan dalam menunjang hidup generasi mendatang dapat dicapai

Tujuan : Mengetahui adanya hubungan antara ketepatan pemberian makanan pendamping ASI (MP-ASI) dengan kenaikan berat badan pada usia 6-24 bulan di Posyandu Minomartani Sleman Yogyakarta.

Metode: Jenis penelitian ini menggunakan metode penelitian *observasional* atau pengamatan dengan menggunakan pendekatan *cross sectional*. Jumlah populasi dalam penelitian ini adalah 50 responden, teknik pengambilan sampel adalah *sampling Aksidental* dengan sampel sejumlah 50 responden dan menggunakan analisis *chi-square* dengan $\alpha = 0,05$.

Hasil : Ketepatan pemberian makanan pendamping ASI (MP-ASI) pada usia 6-24 bulan di Posyandu Minomartani adalah 78%. Kenaikan berat badan bayi pada usia 6-24 bulan di Posyandu Minomartani adalah 72%. Ada hubungan antara ketepatan pemberian makanan pendamping ASI (MP-ASI) dengan kenaikan berat badan pada usia 6-24 bulan di Posyandu Minomartani Sleman Yogyakarta berdasarkan uji *chi-square* didapatkan $\chi^2 = 8,884$, $p \text{ value} = 0,003$ dan *Coefficient Contingency* 0,388.

Kesimpulan: ada hubungan antara ketepatan pemberian makanan pendamping ASI (MP-ASI) dengan kenaikan berat badan pada usia 6-24 bulan di Posyandu Minomartani Sleman Yogyakarta.

Kata Kunci : Makanan Pendamping ASI, Kenaikan Berat Badan .

¹ Mahasiswa Stikes Achmad Yani Yogyakarta

² Dosen Tetap STIKES Achmad Yani Yogyakarta

³ Dosen Pembimbing II STIKES A. Yani Yogyakarta

ABSTRACT

THE RELATIONSHIP BETWEEN THE ACCURACY OF COMPLEMENTARY FEEDING (MP-ASI) WITH INCREASE IN WEIGHT ON AGE 6-24 MONTHS IN POSYANDU MINOMARTANI SLEMAN YOGYAKARTA

Asri Budiarti,¹ Esti Nugraheny,² Imroatul Azizah³

Background: Based on various research that 30-50% of infants aged 6-12 months showed less growth and development are satisfactory, and suffer from lack of protein sources. complementary feeding with varying types of needs to be improved so that the role in supporting the next generation of life can be achieved.

Research Objective: to know the relationship between the accuracy of complementary feeding (MP-ASI) with weight gain at age 6-24 months in Posyandu Minomartani Sleman, Yogyakarta.

Methods: This type of research using observational studies or observational method using cross-sectional approach. The population in this study were 50 respondents, the sampling technique was accidental sampling with a sample number of 50 respondents and using chi-square analysis with $\alpha = 0.05$.

Results: The accuracy of complementary feeding (MP-ASI) at the age of 6-24 months in Posyandu Minomartani was 78%. The increase in weight infants at age 6-24 months in Posyandu Minomartani was 88%. There is a relationship between the accuracy of complementary feeding (MP-ASI) with weight gain at age 6-24 months in Posyandu Minomartani Sleman Yogyakarta based on chi-square test found $\chi^2 =$, p value = 0.005 and 0.370 Contingency Coefficient.

Conclusion: there is a relationship between the accuracy of complementary feeding (MP-ASI) with weight gain at age 6-24 months in Posyandu Minomartani Sleman, Yogyakarta.

Keywords: Complementary feeding, increase in weight.

¹ Student of STIKES A. Yani Yogyakarta

² Lecturer Not Stay of STIKES A. Yani Yogyakarta

³ Lecturer of STIKES A. Yani Yogyakarta