

**DESKRIPSI RESPON IBU HAMIL PRIMIGRAVIDA  
TENTANG PERUBAHAN MASA HAMIL  
DI PUSKESMAS TEMPEL 1 SLEMAN  
YOGYAKARTA**

**Wahyu Rahmana<sup>1</sup>, Ika Fitria Ayuningtyas<sup>2</sup>**

**INTISARI**

**Latar Belakang :** Menurut World Health Organization (WHO, 2010), kematian ibu adalah kematian perempuan selama masa kehamilan, persalinan, maupun dalam 42 hari setelah persalinan, tidak di pengaruhi lamanya dan lokasi kehamilan dari beberapa penyebab yang berhubungan dengan atau penanganannya tetapi bukan karena kecelakaan atau kebetulan. Menurut data SDKI tahun 2007 AKI di Indonesia ada 228 per 100.000 kelahiran hidup. Tahun 2007 Angka Kematian Ibu di DIY berada pada angka 105/100.000 kelahiran hidup.

**Tujuan :** Untuk mengetahui deskripsi respon ibu hamil primigravida tentang perubahan masa fisiologis dan psikologis dalam kehamilan di Puskesmas Tempel 1 Sleman Yogyakarta.

**Metode penelitian :** Jenis penelitian ini deskriptif non analitik. Pengumpulan data menggunakan data primer yaitu dengan membagikan kuesioner pada 36 responden yang berkunjung ke Puskesmas Tempel 1 Sleman secara aksidental atau secara kebetulan yaitu semua ibu hamil primigravida yang kebetulan ditemui cocok sebagai sumber data.

**Hasil Penelitian :** Respon ibu hamil primigravida tentang perubahan fisiologis maupun psikologis dalam kehamilan di Puskesmas Tempel 1 Sleman mayoritas adalah negatif sebanyak 20 orang (50,6%).

**Kesimpulan :** Secara keseluruhan respon ibu hamil primigravida tentang perubahan masa hamil di Puskesmas Tempel 1 Sleman mayoritas adalah negatif sebanyak 19 orang (52,8%).

**Kata Kunci :** Respon, Primigravida, Perubahan Masa Hamil.

---

<sup>1</sup> Mahasiswa Stikes A.Yani Yogyakarta

<sup>2</sup> Dosen Stikes A.Yani Yogyakarta

**DESCRIPTION OF RESPONSE PRIMIGRAVIDA PREGNANT WOMEN  
ABOUT CHANGES IN FUTURE PREGNANCIES  
IN PUSKESMAS TEMPEL 1 SLEMAN  
YOGYAKARTA**

**Wahyu Rahmana<sup>3</sup>, Ika Fitria Ayuningtiyas<sup>4</sup>**

**ABSTRACT**

**Background:** According to the World Health Organization (WHO, 2010), maternal mortality is the death of women during pregnancy, childbirth, or within 42 days after delivery, are not influenced by the duration and site of pregnancy from a cause related to or its management but not from accidental or coincidence. According to data from the 2007 Demographic and Health Survey, maternal mortality in Indonesia there is 228 per 100,000 live births. In 2007 maternal mortality rate in the province stood at 105/100.000 live births.

**Objective:** To determine the description of response primigravida pregnant women about the physiological and psychological changes in future pregnancies in Puskesmas Tempel I Sleman Yogyakarta.

**Methods:** The study was a descriptive non-analytic. Data collection of primary data by distributing questionnaires to 36 respondents who visited Puskesmas Tempel I Sleman as accidental or by chance that all primigravida pregnant women who happened to be found suitable as a data source.

**Results:** The response of primigravida pregnant women about the physiological and psychological changes in future pregnancy in Puskesmas Tempel I Sleman mostly are negative as many as 20 people (50.6%).

**Conclusion:** Overall response of primigravida pregnant women about changes in future pregnancy in Puskesmas Tempel I Sleman majority are negative as many as 19 people (52.8%).

**Keywords:** Response, Primigravida, Changes in Future Pregnancy

---

<sup>3</sup> High student of STIKES A. Yani Yogyakarta

<sup>4</sup> Lecturer of STIKES A. Yani Yogyakarta