

## DAFTAR PUSTAKA

- Al Awwaliyah, N. M., Karuniawan, B. W., & Purnomo, D. A. (2020). Analisa pengaruh parameter 3d printing dengan metode taguchi–grey relational analysis terhadap kekasaran permukaan dan building time produk. *Proceedings Conference On Design Manufacture Engineering And Its Application*, 4(1), 252–257.
- Arifin, F., Zamheri, A., Herlambang, Y. D., Syahputra, A. P., Apriansyah, I., & Franando, F. (2021). Optimization Of Process Parameters In 3D Printing FDM By Using The Taguchi And Grey Relational Analysis Methods. *SINTEK JURNAL: Jurnal Ilmiah Teknik Mesin*, 15(1), 1. <https://doi.org/10.24853/sintek.15.1.1-10>
- Bozkurt, Y., & Karayel, E. (2021). 3D printing technology; methods, biomedical applications, future opportunities and trends. In *Journal of Materials Research and Technology* (Vol. 14, pp. 1430–1450). Elsevier Editora Ltda. <https://doi.org/10.1016/j.jmrt.2021.07.050>
- Budi, T. S., Supriyadi, E., & Zulziar, M. (2018). Analisis Konfigurasi Proses Produksi Cokelat Stick Coverture Menggunakan Metode Design Of Experiments (DOE) Di PT. Gandum Mas Kencana. *JITMI*, 1(1).
- Chen, Z., Li, Z., Li, J., Liu, C., Lao, C., Fu, Y., Liu, C., Li, Y., Wang, P., & He, Y. (2019). 3D printing of ceramics: A review. In *Journal of the European Ceramic Society* (Vol. 39, Issue 4, pp. 661–687). Elsevier Ltd. <https://doi.org/10.1016/j.jeurceramsoc.2018.11.013>
- Cholis, A. F., Kurniawan, B. W., & Indrawan, R. (2021). Optimasi Parameter 3D Printing pada Material PETG terhadap Kekuatan Tarik dan Building Time Menggunakan Metode Taguchi Grey Relational Analysis. *Proceedings Conference on Design Manufacture Engineering and Its Application*, 5(1), 235–241.
- Darsin, M., Efendi, M. R., Jatisukamto, G., Arbiantara Basuki, H., & Sutjahjono, H. (2024). Kuat Bending Hasil Cetak 3D Printing Berbahan PLA-Kuningan; Kuat

- Bending Hasil Cetak 3D printing Berbahan PLA-Kuningan. *Jurnal Kajian Ilmiah Dan Teknologi Teknik Mesin*, 8(2), 128–133. <https://doi.org/10.32528/jp.v8i2.1540>
- Durakovic, B. (2017). Design of experiments application, concepts, examples: State of the art. *Periodicals of Engineering and Natural Sciences*, 5(3), 421–439. <https://doi.org/10.21533/pen.v5i3.145>
- Elamir, E. A. H. (2016). Analysis of Variance versus Analysis of Means: A Comparative Study. *Journal of Empirical Research in Accounting & Auditing ISSN*, 3(1), 2384–4787. <http://journals.uob.edu.bh>
- Ermawati, & Hartati. (2014). Aplikasi Metode Taguchi Dalam Pengendalian Kualitas Produksi. *Jurnal Tknosains*, 8(2), 185–194.
- Halim, N. A., Mogan, J., Sandanamsamy, L., Harun, W. S. W., Kadirgama, K., Ramasamy, D., & Tarlochan, F. (2021a). A review on 3D printed polymer-based composite for thermal applications. *IOP Conference Series: Materials Science and Engineering*, 1078(1), 012029. <https://doi.org/10.1088/1757-899x/1078/1/012029>
- Halim, N. A., Mogan, J., Sandanamsamy, L., Harun, W. S. W., Kadirgama, K., Ramasamy, D., & Tarlochan, F. (2021b). A review on 3D printed polymer-based composite for thermal applications. *IOP Conference Series: Materials Science and Engineering*, 1078(1), 012029. <https://doi.org/10.1088/1757-899x/1078/1/012029>
- Imam, B., & Muttaqin, A. (2019). Telaah Kajian dan Literature Review Design of Experiment (DOE). *Journal of Advances in Information and Industrial Technology (JAIIT)*, 1(1).
- Jackson, B., Fouladi, K., & Eslami, B. (2022). Multi-Parameter Optimization of 3D Printing Condition for Enhanced Quality and Strength. *Polymers*, 14(8). <https://doi.org/10.3390/polym14081586>
- Jensen, W. A. (2016). Confirmation runs in design of experiments. *Journal of Quality Technology*, 48(2), 162–177. <https://doi.org/10.1080/00224065.2016.11918157>

- Khafid, M. Z. A., Sateria, A., & Suzen, Z. S. (2024). Analisis dan Optimasi 3D Print Material Carbon Fiber Pla Menggunakan Metode Taguchi-Gra. *Jurnal Inovasi Teknologi Terapan*, 02(1).
- Latif, A. H., Rosid, I. A., Dewi, G. S., & Jatiningsih, M. gratiana D. (2024). Optimasi Multi Parameter Mesin 3D Printer FDM Untuk Material Thermoplastic Polyurethane Guna Menghasilkan Error Dimensi Terkecil Menggunakan Metode 2 K Factorial Design. *Jurnal Ilmiah Teknik Industri*, 12(1), 41–49.
- Martiček, M., Tauberová, R., Kaščák, J., Vandžura, R., Sukić, E., & Knapčíková, L. (2024). The Influence of Selected Parameters of Recycled Polyvinyl Butyral on the Sustainable Filament Extrusion Process. *Applied Sciences (Switzerland)*, 14(21). <https://doi.org/10.3390/app14219752>
- Mishra, P., Sood, S., Bharadwaj, V., Aggarwal, A., & Khanna, P. (2023). Parametric Modeling and Optimization of Dimensional Error and Surface Roughness of Fused Deposition Modeling Printed Polyethylene Terephthalate Glycol Parts. *Polymers*, 15(3). <https://doi.org/10.3390/polym15030546>
- Montgomery, D. C. . (2013). *Design and analysis of experiments*. John Wiley & Sons, Inc.
- Muharom, & Siswadi. (2015). Desain Eksperimen Taguchi Untuk Meningkatkan Kualitas Batu Bata Berbahan Baku Tanah Liat. *JEMIS*, 3(1). <http://JEMIS.ub.ac.id>
- Pamasaria, A. H., Saputra, T. H., & Herianto. (2019). Pengaruh Parameter Proses 3D Printing Tipe FDM (Fused Deposition Modeling) Terhadap Kualitas Hasil Produk. *Seminar Nasional IENACO*.
- Pristiansyah, Hasdiansah, & Sugiyarto. (2019). Optimasi Parameter Proses 3D Printing FDM Terhadap Akurasi Dimensi Menggunakan Filament Eflex. *Jurnal Teknologi Manufaktur*, 11(01).
- Rashid, Dr. K. M. J. (2023). Optimize the Taguchi method, the signal-to-noise ratio, and the sensitivity. *International Journal of Statistics and Applied Mathematics*, 8(6), 64–70. <https://doi.org/10.22271/math.2023.v8.i6a.1406>

- Rosid, I. A., & Tontowi, A. E. (2021). Parameter Optimization of Customized FDM 3D Printer Machine for Biocomposite Material [Sago/PMMA] Using 2k Fractional Factorial Design. *OPSI*, 14(2), 188. <https://doi.org/10.31315/opsi.v14i2.5352>
- Runtut, J. K., & Situmorang, V. (2022). Reducing Bending Defect Using Taguchi Optimization Method. *Proceeding of International Conference on Sustainable Engineering and Creative Computing*, 56–60.
- Saputra, T. H., Hutama, A. S., Ningsih, A., & Pamasaria, H. A. (2022). Analisa Parameter 3D Printing Tipe FDM Terhadap Akurasi Dimensi Dengan Filamen Berbahan Daur Ulang Plastik Low Density Polyethylene (LDPE) Dan Polypropylene (PP). *Sebatik*, 26(1), 9–16. <https://doi.org/10.46984/sebatik.v26i1.1682>
- Sawyer, S. F. (2009). Analysis of Variance: The Fundamental Concepts. *Journal of Manual & Manipulative Therapy*, 17(2), 27E-38E. <https://doi.org/10.1179/jmt.2009.17.2.27e>
- Soejanto, I. (2009). *Desain Eksperimen dengan Metode Taguchi*. Graha Ilmu.
- Sukindar, N. A., Md Yasir, A. S. H., Azhar, M. D., Md Azhar, M. A., Abd Halim, N. F. H., Sulaiman, M. H., Ahmad Sabli, A. S. H., & Mohd Ariffin, M. K. A. (2024). Evaluation of the surface roughness and dimensional accuracy of low-cost 3D-printed parts made of PLA–aluminum. *Heliyon*, 10(4). <https://doi.org/10.1016/j.heliyon.2024.e25508>
- Telford, J. K. (2007). A Brief Introduction to Design of Experiments. *Johns Hopkins ApL Technical Digest*, 27(3).
- Vishwakarma, A., Rastogi, A., Singh, N., Kumar, A., Indroneil, M., & Roy, S. (2023). 3D Printer. *International Journal For Multidisciplinary Research (IJFMR0)*, 5(3). [www.ijfmr.com](http://www.ijfmr.com)
- Woosley, S., & Aravamudhan, S. (2022). Functionally Modified Composites for FDM 3D Printing. *Advanced Additive Manufacturing*, 145.

- Zakaria, S., Stighfarrinata, R., & Ma'rifatul Maghfiroh, A. (2022). Optimasi Parameter Proses 3D Printing Terhadap Kuat Tarik Filament PETG Menggunakan Metode Taguchi. *JUSTI (Jurnal Sistem Dan Teknik Industri)*, 3(4), 538–545.
- Zamheri, A., Arifin, F., & Apriansyah, I. (2021). Pengaruh Parameter Pada Proses 3D Printing Menggunakan Filament Eal-Fill Terhadap Akurasi Dimensi Dan Kekerasan Dengan Pendekatan Metode Taguchi. *Jurnal Teknik Mesin*, 7(2).

PERPUSTAKAAN  
UNIVERSITAS JENDERAL ACHMAD YANI  
YOGYAKARTA